



Centerra Gold Inc. - Mount Milligan Drilling Summary **Diamond Drill Hole Locations**

Period: January 1st, 2018 to March 31th, 2018

Page 1 of 4

Hole ID	Location Easting	Location Northing	Elevation (m)	Length (m)	Collar Azimuth	Collar Dip	Purpose
17-1049	433909.78	6109209.42	1153.17	629.72	90.00	-85.00	Near-pit exploration
17-1050	433909.78	6109209.42	1153.17	633.07	271.00	-72.00	Near-pit exploration
17-1051	433909.78	6109209.42	1153.17	437.69	269.00	-50.00	Near-pit exploration
18-1052	433705.28	6108553.16	1184.71	300.23	0.00	-90.00	Near-pit infill
18-1053	433965.80	6108438.00	1183.79	299.31	0.00	-90.00	Near-pit infill
18-1054	434034.00	6107972.50	1200.75	300.23	0.00	-90.00	Near-pit infill
18-1055	434144.76	6108054.80	1179.64	281.94	0.00	-90.00	Near-pit infill
18-1056	433996.10	6109009.90	1113.08	419.71	90.00	-85.00	Near-pit infill
18-1057	434024.02	6108899.64	1099.14	337.41	90	-80	Near-pit exploration
18-1058	434135.72	6108851.50	1097.55	300.84	0	-90	Near-pit exploration
18-1059	434480.28	6108849.82	1086.38	366.06	270	-65	Near-pit exploration
18-1060	433816.34	6109250.88	1143.39	550.77	90	-75	Near-pit exploration

Projection: UTM NAD83 Zone 10N

Azimuth: Relative to True North

Notes: This information should be read together with our news release of May 1, 2018.

C. Paul Jago, a Member of Engineers and Geoscientists British Columbia, is Centerra's qualified person for the purpose of National Instrument 43-101.

Tables are current as of March 31, 2018

Drillholes 17-1049 to 17-1051 completed in December 2017; assay results returned in Q1 2018



Centerra Gold Inc. - Mount Milligan Drilling Summary
Diamond Drill Hole Assay Results
Period: January 1st, 2018 to March 31st, 2018

Page 2 of 4

Drill Hole	Location	Purpose	From (m)	To (m)	Core Length (m)	Au ppm	Cu %	Ag ppm
17-1049	DWBX zone	Section 6109200. Fan of drill holes on section to test extent of mineralization intersected in drill hole 17-1048.	17.05	29.71	12.66	0.159	0.092	2.7
			42.14	89.00	46.86	0.211	0.072	1.0
			98.50	105.71	7.21	0.129	0.055	0.8
			175.00	178.00	3.00	0.128	0.097	1.7
			209.00	257.00	48.00	0.220	0.125	2.3
			290.00	305.00	15.00	13.488	0.031	15.0
			<i>including</i> 296.58	<i>303.70</i>	<i>7.12</i>	<i>28.068</i>	<i>0.026</i>	<i>26.7</i>
			328.16	385.50	57.34	1.074	0.076	6.7
			<i>including</i> 351.90	<i>365.35</i>	<i>13.45</i>	<i>3.908</i>	<i>0.068</i>	<i>22.9</i>
			390.00	412.50	22.50	0.236	0.153	2.7
			418.00	430.02	12.02	0.355	0.138	13.4
			436.00	439.79	3.79	0.213	0.198	1.2
			451.00	455.00	4.00	0.267	0.174	0.9
			468.00	479.98	11.98	0.148	0.133	1.1
			512.00	524.00	12.00	0.154	0.186	0.4
17-1050	DWBX zone	Section 6109200. Fan of drill holes on section to test extent of mineralization intersected in drill hole 17-1048.	534.90	554.19	19.29	0.214	0.164	1.1
			559.00	599.00	40.00	0.153	0.140	0.8
			605.00	626.00	21.00	0.128	0.136	0.8
			33.80	63.70	29.90	0.392	0.166	2.1
			83.70	127.70	44.00	0.316	0.022	1.1
			<i>including</i> 121.70	<i>127.70</i>	<i>6.00</i>	<i>1.244</i>	<i>0.005</i>	<i>3.8</i>
			133.70	140.10	6.40	0.356	0.003	1.6
			156.20	160.70	4.50	0.390	0.016	1.4
			227.40	235.40	8.00	0.360	0.042	2.1
			270.30	274.30	4.00	0.139	0.063	0.9
			302.20	310.10	7.90	0.510	0.031	2.8
			331.30	333.70	2.40	1.561	0.073	18.1
			359.90	367.90	8.00	0.241	0.056	1.3
			385.20	397.40	12.20	0.150	0.062	0.4
			416.50	428.00	11.50	0.236	0.206	0.4
17-1051	DWBX zone	Section 6109200. Fan of drill holes on section to test extent of mineralization intersected in drill hole 17-1048.	489.60	566.90	77.30	0.348	0.251	2.4
			572.90	610.30	37.40	1.194	0.066	4.8
			<i>including</i> 607.10	<i>609.70</i>	<i>2.60</i>	<i>8.972</i>	<i>0.053</i>	<i>36.1</i>
			6.71	51.40	44.69	0.368	0.066	3.4
			<i>including</i> 44.60	<i>51.40</i>	<i>6.80</i>	<i>1.320</i>	<i>0.042</i>	<i>13.8</i>
			60.20	105.40	45.20	1.780	0.044	14.2
			<i>including</i> 60.20	<i>67.70</i>	<i>7.50</i>	<i>5.510</i>	<i>0.059</i>	<i>42.0</i>
			<i>and</i> 75.30	<i>95.90</i>	<i>20.60</i>	<i>1.569</i>	<i>0.058</i>	<i>13.3</i>
			127.90	136.90	9.00	0.363	0.069	3.1
			142.90	148.90	6.00	0.608	0.020	0.8
			226.70	232.70	6.00	0.110	0.044	0.8
17-1051	DWBX zone	Section 6109200. Fan of drill holes on section to test extent of mineralization intersected in drill hole 17-1048.	263.80	270.80	7.00	0.319	0.070	4.1
			278.10	291.00	12.90	0.208	0.067	4.0
			316.10	322.10	6.00	0.206	0.080	1.9

Notes: This information should be read together with our news release of May 1, 2018. Tables are current as of March 31, 2018.

Assays are reported true values without top cutting

Reported intervals are longer than 2.0 m, grade greater than 0.1 g/t Au and include maximum internal waste of 4.0 m where it exists.

C. Paul Jago, a Member of Engineers and Geoscientists British Columbia, is Centerra's qualified person for the purpose of National Instrument 43-101.

Drillholes 17-1049 to 17-1051 completed in December 2017; assay results returned in Q1 2018



Centerra Gold Inc. - Mount Milligan Drilling Summary
Diamond Drill Hole Assay Results
Period: January 1st, 2018 to March 31st, 2018

Page 3 of 4

Drill Hole	Location	Purpose	From (m)	To (m)	Core Length (m)	Au ppm	Cu %	Ag ppm	
18-1052	Southern Star zone	Section 6108550 N test for extension of mineralization in 100 m gap between historic drill holes	*preliminary	32.40	65.40	33.00	0.239	0.401	6.8
				77.70	84.00	6.30	0.106	0.202	1.1
				121.40	124.30	2.90	0.173	0.136	1.7
				141.90	146.90	5.00	0.200	0.095	1.3
				155.90	172.00	16.10	0.200	0.112	0.9
				188.40	195.90	7.50	0.140	0.062	0.6
				233.10	249.00	15.90	0.126	0.212	2.2
				256.60	260.80	4.20	0.110	0.123	1.6
18-1053	Southern Star zone	Section 6108450 N infill a 110 m gap between historic mineralized holes	including	9.14	37.40	28.26	0.326	0.138	0.9
				19.10	21.10	2.00	1.689	0.180	1.5
				41.40	47.60	6.20	0.142	0.082	0.6
				56.60	76.00	19.40	0.174	0.074	0.6
				86.70	91.70	5.00	0.127	0.028	0.3
				99.70	103.70	4.00	0.122	0.024	0.2
				127.80	238.40	110.60	0.301	0.354	1.4
				272.30	278.30	6.00	0.111	0.041	0.3
18-1054	Southern Star zone	Section 6107950 N test for down-dip extension of mineralization previously intersected at monzonite lower contact		47.35	51.35	4.00	0.102	0.009	0.1
				56.05	60.05	4.00	0.135	0.015	0.4
				98.54	102.54	4.00	0.105	0.031	0.7
				128.13	134.92	6.79	0.246	0.144	5.9
				140.92	170.03	29.11	0.281	0.100	2.9
				182.03	186.58	4.55	5.060	0.133	6.7
				205.74	242.01	36.27	0.202	0.133	1.1
				249.40	276.27	26.87	0.323	0.271	0.8
292.11	300.23	8.12	0.121	0.095	0.4				
18-1055	Southern Star zone	Section 6108050 N infill a 100 m gap between historical holes.	including	22.29	46.60	24.31	0.272	0.162	3.3
				64.00	82.00	18.00	0.101	0.106	0.9
				107.00	142.86	35.86	0.192	0.114	0.7
				155.00	161.00	6.00	0.258	0.102	0.9
				168.00	172.00	4.00	0.186	0.114	0.9
				184.00	212.50	28.50	0.279	0.067	0.9
				193.63	195.30	1.67	2.403	0.123	3.6
				216.50	258.00	41.50	0.239	0.134	0.8
274.00	278.00	4.00	0.188	0.150	1.0				
18-1056	Saddle zone / DWBX zone	Section 6109000. Infill low density drill section.		32.60	36.20	3.60	0.131	0.145	1.2
				65.20	67.20	2.00	0.106	0.055	0.5
				88.50	94.00	5.50	0.223	0.095	0.7
				100.00	102.00	2.00	0.143	0.032	0.2
				112.20	116.20	4.00	0.147	0.094	0.6
				126.40	132.40	6.00	0.218	0.134	0.8
				138.20	142.20	4.00	0.260	0.120	0.6
				146.20	153.00	6.80	0.890	0.060	1.1
				164.90	166.90	2.00	0.104	0.049	0.3
				174.10	180.10	6.00	0.178	0.094	0.5
			192.10	198.50	6.40	0.130	0.059	0.3	
			204.50	206.50	2.00	0.159	0.111	0.5	
			212.50	269.70	57.20	0.630	0.274	1.6	
			including	230.60	236.00	5.40	2.340	0.986	6.3
			including	240.00	247.70	7.70	0.959	0.477	2.8
			273.70	297.80	24.10	0.163	0.068	0.4	
			321.00	365.90	44.90	0.240	0.186	0.8	
			including	363.90	365.90	2.00	1.365	0.003	0.2
			375.90	378.90	3.00	0.111	0.005	0.3	
			391.90	393.90	2.00	0.251	0.149	5.4	

Notes: This information should be read together with our news release of May 1, 2018. Tables are current as of March 31, 2018.

Assays are reported true values without top cutting

Reported intervals are longer than 2.0 m, grade greater than 0.1 g/t Au and include maximum internal waste of 4.0 m where it exists.

C. Paul Jago, a Member of Engineers and Geoscientists British Columbia, is Centerra's qualified person for the purpose of National Instrument 43-101.

* interval results considered preliminary at the time of this release



Centerra Gold Inc. - Mount Milligan Drilling Summary
Diamond Drill Hole Assay Results
Period: January 1st, 2018 to March 31st, 2018

Page 4 of 4

Drill Hole	Location	Purpose	From (m)	To (m)	Core Length (m)	Au ppm	Cu %	Ag ppm
18-1057	Saddle zone	Section 6108900. Test for mineralization down-dip of historic drill holes 06-960 and 11-1013	6.10	10.10	4.00	0.099	0.061	3.7
			44.15	46.15	2.00	0.151	0.045	0.5
			53.45	59.45	6.00	0.182	0.065	0.7
			78.40	86.81	8.41	0.191	0.196	0.8
			91.45	101.45	10.00	0.132	0.206	1.1
			107.45	120.45	13.00	0.210	0.188	1.0
			124.45	174.40	49.95	0.206	0.228	0.9
			178.40	327.85	149.45	0.456	0.435	2.5
			including 219.18	229.14	9.96	1.418	1.048	3.7
			including 258.52	260.52	2.00	1.114	0.788	3.0
18-1058	Saddle zone	Section 6108850 Infill between historic drill holes 89-394 and 90-731	6.10	22.25	16.15	0.146	0.208	0.9
			46.17	54.17	8.00	0.180	0.220	4.9
			59.60	83.70	24.10	0.232	0.232	0.9
			including 59.60	61.60	2.00	1.096	0.516	1.4
			91.70	99.58	7.88	0.112	0.215	2.2
			106.48	108.48	2.00	0.106	0.143	0.5
			114.48	120.48	6.00	0.154	0.323	2.4
			131.36	156.56	25.20	0.401	0.210	4.1
			including 145.39	147.39	2.00	3.541	0.170	41.6
			160.92	250.77	89.85	0.445	0.466	6.2
			including 203.38	206.02	2.64	1.181	0.517	1.1
			258.00	270.61	12.61	0.128	0.196	0.7
			284.10	290.10	6.00	0.229	0.186	0.8
			296.10	300.84	4.74	0.228	0.096	0.6
18-1059	Saddle Zone / MBX zone	Section 6108850 Test mineral potential of Saddle zone from east of Harris fault	6.07	116.06	109.99	1.734	0.036	0.3
			including 6.07	44.70	38.63	4.145	0.067	0.5
			including 49.76	61.71	11.95	1.350	0.051	0.5
			129.24	140.69	11.45	0.109	0.016	0.1
			150.09	173.05	22.96	0.176	0.026	0.3
			*preliminary 184.28	186.28	2.00	0.148	0.022	0.1
			*preliminary 193.38	195.38	2.00	0.112	0.063	0.3
			207.44	209.82	2.38	0.111	0.024	0.1
			221.00	229.00	8.00	0.123	0.015	0.1
			247.00	267.90	20.90	0.307	0.152	0.4
			273.90	275.90	2.00	0.173	0.077	0.3
			314.00	318.00	4.00	0.115	0.055	0.4
			322.66	335.00	12.34	0.142	0.032	0.2
			348.37	352.46	4.09	0.071	0.011	0.1
18-1060	DWBX zone	Section 6109250 Infill 50 m north of 2017 drill fan, test for Cu-Au mineralization at depth	51.14	56.90	5.76	1.032	0.043	8.2
			including 53.14	56.90	3.76	1.526	0.035	11.4
			73.25	79.25	6.00	0.143	0.472	2.4
			92.26	94.41	2.15	1.374	0.062	9.4
			100.41	116.37	15.96	0.143	0.040	0.8
			158.05	160.05	2.00	0.584	0.076	5.2
			170.82	174.65	3.83	0.489	0.149	8.6
			195.78	197.78	2.00	0.209	0.054	1.4
			215.95	217.95	2.00	0.126	0.058	3.1
			270.61	281.63	11.02	0.199	0.032	0.5
			302.82	308.82	6.00	0.240	0.051	0.9


Notes: This information should be read together with our news release of May 1, 2018. Tables are current as of March 31, 2018.


Assays are reported true values without top cutting

Reported intervals are longer than 2.0 m, grade greater than 0.1 g/t Au and include maximum internal waste of 4.0 m where it exists.

C. Paul Jago, a Member of Engineers and Geoscientists British Columbia, is Centerra's qualified person for the purpose of National Instrument 43-101.


* interval results considered preliminary at the time of this release





This information should be read together with our news release of May 1, 2018.


C. Paul Jago, a Member of the Engineers and Geoscientists British Columbia, is Centerra's qualified person for the purpose of National Instrument 43-101.



This information should be read together with our news release of May 1, 2018.


C. Paul Jago, a Member of the Engineers and Geoscientists British Columbia, is Centerra's qualified person for the purpose of National Instrument 43-101.

* interval results are preliminary at the time of this release.




This information should be read together with our news release of May 1, 2018.

C. Paul Jago, a Member of the Engineers and Geoscientists British Columbia, is Centerra's qualified person for the purpose of National Instrument 43-101.




This information should be read together with our news release of May 1, 2018.

C. Paul Jago, a Member of the Engineers and Geoscientists British Columbia, is Centerra's qualified person for the purpose of National Instrument 43-101.




This information should be read together with our news release of May 1, 2018.

C. Paul Jago, a Member of the Engineers and Geoscientists British Columbia, is Centerra's qualified person for the purpose of National Instrument 43-101.




This information should be read together with our news release of May 1, 2018.

C. Paul Jago, a Member of the Engineers and Geoscientists British Columbia, is Centerra's qualified person for the purpose of National Instrument 43-101.



This information should be read together with our news release of May 1, 2018.

C. Paul Jago, a Member of the Engineers and Geoscientists British Columbia, is Centerra's qualified person for the purpose of National Instrument 43-101.



This information should be read together with our news release of May 1, 2018.

C. Paul Jago, a Member of the Engineers and Geoscientists British Columbia, is Centerra's qualified person for the purpose of National Instrument 43-101.



Centerra Gold Inc. - Yamaç Project, Turkey
Diamond Drill Hole Locations
Period: January 1st, 2018 to March 31th, 2018

Page 1 of 2

Hole ID	Location Easting	Location Northing	Elevation (m)	Length (m)	Collar Azimuth (grid)	Collar Dip	Project	Prospect
YDD007	378123.00	4551554.00	426.00	509.00	90	-50	Yamaç	Kuzey
YDD008	378088.00	4551910.00	370.00	195.40	90	-60	Yamaç	Kuzey
YDD009	378089.00	4551903.00	367.00	158.90	270	-50	Yamaç	Kuzey

Notes:

This information should be read together with our news release of May 1, 2018.

Malcolm Stallman, a Member of the Australian Institute of Geoscientists, is Centerra's qualified person for the purpose of National Instrument 43-101.

Tables are current as of March 31, 2018

Projection: UTM ED50 Zone 36

Azimuth: Relative to True North



Centerra Gold Inc. - Yamaç Project, Turkey
Diamond Drill Hole Assay Results
Period: January 1st, 2018 to March 31st, 2018

Page 2 of 2

Drill Hole	Location	Purpose	From (m)	To (m)	Core Length (m)	Au (g/t)	Cu (%)
YDD007	Kuzey	Exploration	6.40	22.60	16.20	0.83	
			71.00	84.00	13.00	0.13	
			<i>includes</i> 15.40	16.40	1.00	9.22	
			20.40	24.60	4.20		0.35
			31.60	36.60	5.00		0.11
			48.60	55.90	7.30		0.14
			60.70	106.00	45.30		0.19
			144.20	154.60	10.40		0.11
			161.80	169.00	7.20		0.11
			172.20	178.30	6.10		0.10
			209.30	212.50	3.20		0.11
			242.00	250.00	8.00		0.25
			273.80	280.60	6.80		0.18
			323.50	341.60	18.10		0.15
			345.60	349.60	4.00		0.13
			356.60	365.80	9.20		0.16
YDD008	Kuzey	Exploration	23.00	31.00	8.00	0.15	
			16.00	42.00	26.00		0.26
YDD009	Kuzey	Exploration	147.00	150.00	3.00		0.11

Notes: Assays are reported true values without top cutting.

Reported intervals are greater than 0.1 g/t Au and/or 0.1% Cu and greater than 3 metre length.

Maximum internal waste 3 metres.


This information should be read together with our news release of May 1, 2018.

Malcolm Stallman, a Member of the Australian Institute of Geoscientists, is Centerra's qualified person for the purpose of National Instrument 43-101.

Tables are current as of March 31st 2018.



Yamaç Project – Drill Hole Locations




This information should be read together with our news release of May 1, 2018.

Malcolm Stallman, a Member of the Australian Institute of Geoscientists, is Centerra's qualified person for the purpose of National Instrument 43-101.




Yamaç Project – Section North-1



This information should be read together with our news release of May 1, 2018.

Malcolm Stallman, a Member of the Australian Institute of Geoscientists, is Centerra's qualified person for the purpose of National Instrument 43-101.

Yamaç Project – Section North-4



This information should be read together with our news release of May 1, 2018.

Malcolm Stallman, a Member of the Australian Institute of Geoscientists, is Centerra's qualified person for the purpose of National Instrument 43-101.