
LEGEND
Completed hole (assays returned)
Completed hole (assays pending)
Previous Atlantic Gold hole
Note: some holes drilled from same collar position
Bulk sample pit (late 1980s)
N
100m
HIGHWAY 7
3050N (LOCAL GRID)
5011000mN
2600E
2700E
577000mE
2800E
2900E
3000E
3100E
3200E
577500mE
3300E
3400E
3500E
ATLANTIC GOLD CORPORATION
COCHRANE HILL GOLD PROJECT
DRILL HOLE PLAN
11 June 2017


S
N
CH-17-160
CH-17-158
CH-17-157
CH-17-155
No Significant Assays
41m
62m
92m
110m
5.22
3.0
5.59
3.0
1.13
8.0
1.90
6.0
1.89
14.0
1100mRL
1000mRL
900mRL
3000N
3100N
3200N
Current diamond drill hole (CH-17-xxx)
2.24
23.0
Gold grade (g/t)/downhole interval (m)
ATLANTIC GOLD CORPORATION
COCHRANE HILL GOLD PROJECT
SECTION 3500E
Scale 1:1500
11 June 2017


S
N
CH-16-088
CH-16-086
CH-16-123
CH-17-154
2.05
12.0
1.00
3.0
1.19
13.0
1.35
17.0
0.77
7.0
62m
80m
110m
110m
1100mRL
1000mRL
2900N
3000N
3100N
3200N
Current diamond drill hole (CH-16-0xx)
2.24
23.0
Gold grade (g/t)/downhole interval (m)
ATLANTIC GOLD CORPORATION
COCHRANE HILL GOLD PROJECT
SECTION 3475E
Scale 1:1500
11 June 2017


S
N
CH-16-092
CH-07-002
CH-16-090
CH-17-152
6.34
1.0
0.71
5.0
31m
0.74
22.0
4.88
1.0
4.02
1.0
60m
1.33
14.0
0.83
9.0
2.47
2.0
2.06
10.0
92m
101m
1100mRL
1000mRL
2900N
3000N
3100N
3200N
Atlantic Gold hole from previous drilling programs
Current diamond drill hole (CH-16-0xx)
2.24
23.0
Gold grade (g/t)/downhole interval (m)
Note: assays for previous (pre-2016) holes are 30g fire assays on whole-sample pulverized, 1m, sawn, half NQ core samples. Selection parameters for mineralized intervals as displayed are consistent with those for the current 2016 drill holes.
ATLANTIC GOLD CORPORATION
COCHRANE HILL GOLD PROJECT
SECTION 3450E
Scale 1:1500
11 June 2017


S
N
CH-16-091
CH-16-089
CH-16-087
0.83
10.0
0.70
6.0
19.1
1.0
0.89
19.0
67.1
1.0
1.32
7.0
0.58
9.0
1.09
11.0
77m
95m
122m
1100mRL
1000mRL
2900N
3000N
3100N
3200N
Current diamond drill hole (CH-16-0xx)
2.24
23.0
Gold grade (g/t)/downhole interval (m)
ATLANTIC GOLD CORPORATION
COCHRANE HILL GOLD PROJECT
SECTION 3425E
Scale 1:1500
11 June 2017


S
N
CH-09-043
CH-07-001
CH-16-085
CH-16-084
CH-17-220
1.69
7.0
2.10
3.0
0.98
11.0
44.2m
6.37
1.0
4.28
1.0
0.57
17.0
40.8
3.0
89m
1.31
9.0
1.24
5.0
110m
8.76
3.0
134m
161m
ASSAYS PENDING
1100mRL
1000mRL
2900N
3000N
3100N
3200N
Atlantic Gold hole from previous drilling programs
Current diamond drill hole (CH-16-0xx)
2.24
23.0
Gold grade (g/t)/downhole interval (m)
Note: assays for previous (pre-2016) holes are 30g fire assays on whole-sample pulverized, 1m, sawn, half NQ core samples. Selection parameters for mineralized intervals as displayed are consistent with those for the current 2016 drill holes.
ATLANTIC GOLD CORPORATION
COCHRANE HILL GOLD PROJECT
SECTION 3400E
Scale 1:1500
11 June 2017


S
N
CH-16-081
CH-08-017
CH-16-083
CH-16-082
1.15
8.0
1.01
11.0
5.55
1.0
4.56
1.0
50m
50m
1.40
12.0
3.56
7.0
92m
3.25
7.0
0.66
31.0
101m
1100mRL
1000mRL
2900N
3000N
3100N
3200N
Atlantic Gold hole from previous drilling programs
Current diamond drill hole (CH-16-0xx)
2.24
23.0
Gold grade (g/t)/downhole interval (m)
Note: assays for previous (pre-2016) holes are 30g fire assays on whole-sample pulverized, 1m, sawn, half NQ core samples. Selection parameters for mineralized intervals as displayed are consistent with those for the current 2016 drill holes.
ATLANTIC GOLD CORPORATION
COCHRANE HILL GOLD PROJECT
SECTION 3375E
Scale 1:1500
11 June 2017


S
N
CH-09-040
CH-16-078
CH-09-041
CH-16-080
CH-16-079
CH-17-218
2.70
16.0
15.0
1.0
0.97
14.0
49m
3.89
1.0
6.96
2.0
9.56
2.0
83m
1.77
10.0
101m
1.21
8.0
ASSAYS PENDING
8.10
2.0
0.89
17.0
8.36
1.0
0.75
6.0
152m
173m
221m
1100mRL
1000mRL
900mRL
2900N
3000N
3100N
3200N
Atlantic Gold hole from previous drilling programs
Current diamond drill hole (CH-16-0xx)
2.24
23.0
Gold grade (g/t)/downhole interval (m)
Note: assays for previous (pre-2016) holes are 30g fire assays on whole-sample pulverized, 1m, sawn, half NQ core samples. Selection parameters for mineralized intervals as displayed are consistent with those for the current 2016 drill holes.
ATLANTIC GOLD CORPORATION
COCHRANE HILL GOLD PROJECT
SECTION 3350E
Scale 1:1500
11 June 2017


S
N
CH-16-125
CH-16-076
CH-16-074
CH-16-073
CH-16-075
CH-16-077
1.70
13.0
3.26
1.0
13.25
1.0
0.80
19.0
1.82
4.0
1.05
4.0
8.29
1.0
3.92
1.0
0.82
15.0
3.76
4.0
1.26
6.0
1.24
12.0
1.25
14.0
0.89
15.0
1.10
5.0
2.41
2.0
1.30
10.0
4.57
1.0
1.99
11.0
1100mRL
1000mRL
86m
110m
152m
170m
194m
2900N
3000N
3100N
3200N
Current diamond drill hole (CH-16-0xx)
2.24
23.0
Gold grade (g/t)/downhole interval (m)
ATLANTIC GOLD CORPORATION
COCHRANE HILL GOLD PROJECT
SECTION 3325E
Scale 1:1500
11 June 2017


S
N
CH-09-037
CH-16-063
CH-09-035
CH-16-064
CH-09-039
CH-16-066
CH-17-215
2.85
10.0
1.51
4.0
0.79
6.0
0.71
13.0
1.09
21.0
3.76
18.0
22.3
1.0
14.3
10.0
0.60
13.0
2.71
3.0
3.68
1.0
1.33
7.0
1.75
5.0
0.79
11.0
55m
89m
104m
131m
150.1m
194m
221m
ASSAYS PENDING
1100mRL
1000mRL
900mRL
2900N
3000N
3100N
3200N
Atlantic Gold hole from previous drilling programs
Current diamond drill hole (CH-16-0xx)
2.24
23.0
Gold grade (g/t)/downhole interval (m)
Note: assays for previous (pre-2016) holes are 30g fire assays on whole-sample pulverized, 1m, sawn, half NQ core samples. Selection parameters for mineralized intervals as displayed are consistent with those for the current 2016 drill holes.
ATLANTIC GOLD CORPORATION
COCHRANE HILL GOLD PROJECT
SECTION 3300E
Scale 1:1500
11 June 2017


S
N
CH-16-60
CH-16-061
CH-16-058
CH-16-053
CH-16-069
CH-16-056
CH-16-054
1100mRL
1000mRL
900mRL
0.62
14.0
0.64
9.0
7.37
11.0
1.71
20.0
1.08
33.0
62m
266
1.0
0.71
38.0
80m
1.79
4.0
0.79
14.0
107m
0.91
14.0
0.86
6.0
140m
0.86
24.0
1.01
5.0
158m
1.77
10.0
0.75
7.0
8.69
1.0
191m
1.17
4.0
3.54
5.0
221m
3000N
3100N
3200N
3300N
Current diamond drill hole (CH-16-0xx)
2.24
23.0
Gold grade (g/t)/downhole interval (m)
ATLANTIC GOLD CORPORATION
COCHRANE HILL GOLD PROJECT
SECTION 3275E
Scale 1:1500
11 June 2017


S
N
PIT
CH-09-038
CH-09-045
CH-09-036
CH-16-070
CH-09-034
CH-16-126
CH-17-212
1100mRL
1000mRL
900mRL
1.38
12.0
1.00
9.0
1.08
25.0
1.68
38.0
4.54
4.0
3.93
30.0
1.01
4.0
1.45
32.0
201
1.0
15.65
1.0
2.44
5.0
2.61
30.0
65m
98m
114.9m
164m
170.8m
215m
242m
ASSAYS PENDING
3000N
3100N
3200N
Atlantic Gold hole from previous drilling programs
Current diamond drill hole (CH-16-0xx)
2.24
23.0
Gold grade (g/t)/downhole interval (m)
Note: assays for previous (pre-2016) holes are 30g fire assays on whole-sample pulverized, 1m, sawn, half NQ core samples. Selection parameters for mineralized intervals as displayed are consistent with those for the current 2016 drill holes.
ATLANTIC GOLD CORPORATION
COCHRANE HILL GOLD PROJECT
SECTION 3250E
Scale 1:1500
11 June 2017


S
N
CH-08-014
CH-08-013
CH-16-071
CH-16-048
CH-16-072
CH-16-050
CH-16-051
CH-16-068
CH-16-049
PIT
1100mRL
1000mRL
900mRL
1.02
9.0
0.9
27.0
2.00
27.0
1.18
5.0
2.19
20.0
7.17
1.0
STOPE
2.24
23.0
2.06
30.0
17.8
3.0
1.10
31.0
2.18
2.0
1.86
31.0
1.84
6.0
1.35
28.0
30m
60m
92m
122m
161m
191m
200m
242m
3000N
3100N
3200N
3300N
Atlantic Gold hole from previous drilling programs
Current diamond drill hole (CH-16-0xx)
2.24
23.0
Gold grade (g/t)/downhole interval (m)
Note: assays for previous (pre-2016) holes are 30g fire assays on whole-sample pulverized, 1m, sawn, half NQ core samples. Selection parameters for mineralized intervals as displayed are consistent with those for the current 2016 drill holes.
ATLANTIC GOLD CORPORATION
COCHRANE HILL GOLD PROJECT
SECTION 3225E
Scale 1:1500
11 June 2017


S
N
CH-08-015
CH-08-012
CH-16-057
CH-09-033
CH-16-055
CH-09-032
CH-16-052
CH-17-209
PIT
1100mRL
1000mRL
900mRL
30m
71m
107m
130m
161m
179m
233m
251m
0.72
5.0
2.82
22.0
9.86
1.0
35.8
1.0
2.29
31.0
3.05
27.0
5.70
3.0
1.67
6.0
14.8
3.0
4.80
1.0
0.98
17.0
5.35
21.0
12.4
1.0
1.66
3.0
19.9
4.0
2.52
18.0
1.32
5.0
0.76
8.0
ASSAYS PENDING
3000N
3100N
3200N
Atlantic Gold hole from previous drilling programs
Current diamond drill hole (CH-16-0xx)
2.24
23.0
Gold grade (g/t)/downhole interval (m)
Note: assays for previous (pre-2016) holes are 30g fire assays on whole-sample pulverized, 1m, sawn, half NQ core samples. Selection parameters for mineralized intervals as displayed are consistent with those for the current 2016 drill holes.
ATLANTIC GOLD CORPORATION
COCHRANE HILL GOLD PROJECT
SECTION 3200E
Scale 1:1500
11 June 2017


S
N
CH-08-016
PIT
CH-08-011
CH-16-067
CH-16-065
CH-16-062
CH-16-132
CH-16-059
CH-16-129
1100mRL
1000mRL
900mRL
32.1m
66.4m
92m
122m
152m
185m
212m
242m
0.86
31.0
1.60
34.0
1.05
3.0
1.33
27.0
1.64
5.0
1.34
5.0
0.84
7.0
25.8
1.0
0.69
14.0
1.48
28.0
2.34
3.0
0.91
25.0
2.02
10.0
1.09
3.0
1.36
10.0
20.6
1.0
4.75
1.0
3.10
1.0
3000N
3100N
3200N
Atlantic Gold hole from previous drilling programs
Current diamond drill hole (CH-16-0xx)
2.24
23.0
Gold grade (g/t)/downhole interval (m)
Note: assays for previous (pre-2016) holes are 30g fire assays on whole-sample pulverized, 1m, sawn, half NQ core samples. Selection parameters for mineralized intervals as displayed are consistent with those for the current 2016/17 drill holes.
ATLANTIC GOLD CORPORATION
COCHRANE HILL GOLD PROJECT
SECTION 3175E
Scale 1:1500
11 June 2017


S
N
CH-16-136
CH-16-135
CH-09-046
CH-16-133
CH-16-134
CH-09-042
CH-17-205
1.02
12.35
2.45
28.0
4.01
1.0
2.47
2.0
3.02
1.0
1.09
23.0
0.80
4.0
1.35
25.0
1.26
23.0
1.70
2.0
6.50
1.0
0.90
10.0
0.88
32.0
3.14
4.0
ASSAYS PENDING
50m
86m
119m
131m
161m
180.17m
230m
1100mRL
1000mRL
900mRL
3000N
3100N
3200N
Atlantic Gold hole from previous drilling programs
Current diamond drill hole (CH-16-0xx)
2.24
23.0
Gold grade (g/t)/downhole interval (m)
Note: assays for previous (pre-2016) holes are 30g fire assays on whole-sample pulverized, 1m, sawn, half NQ core samples. Selection parameters for mineralized intervals as displayed are consistent with those for the current 2016 drill holes.
ATLANTIC GOLD CORPORATION
COCHRANE HILL GOLD PROJECT
SECTION 3150E
Scale 1:1500
11 June 2017


S
N
CH-08-018
CH-08-024
CH-16-100
CH-16-131
CH-16-098
CH-16-096
CH-16-094
1100mRL
1000mRL
900mRL
3000N
3100N
3200N
50m
64.2m
101m
140m
160m
182m
212m
0.73
12.8
4.47
2.0
0.61
4.0
1.64
19.0
2.56
2.0
3.20
1.0
1.89
17.0
3.75
1.0
1.65
24.0
2.78
4.0
1.24
20.0
1.34
4.0
9.78
7.0
1.14
4.0
1.75
5.0
0.82
30.0
3.23
3.0
1.12
4.0
2.06
3.0
1.47
19.0
1.99
7.0
Atlantic Gold hole from previous drilling programs
Current diamond drill hole (CH-16-0xx)
2.24
23.0
Gold grade (g/t)/downhole interval (m)
Note: assays for previous (pre-2016) holes are 30g fire assays on whole-sample pulverized, 1m, sawn, half NQ core samples. Selection parameters for mineralized intervals as displayed are consistent with those for the current 2016 drill holes.
ATLANTIC GOLD CORPORATION
COCHRANE HILL GOLD PROJECT
SECTION 3125E
Scale 1:1500
11 June 2017


S
N
CH-08-031
CH-08-019
CH-16-106
CH-09-044
CH-16-104
CH-16-130
CH-16-102
CH-17-204
1100mRL
1000mRL
900mRL
2.70
8.0
3.95
10.0
1.65
10.0
3.65
5.0
3.05
1.0
1.62
14.0
0.79
6.0
1.74
3.0
1.53
8.0
0.89
9.0
0.90
7.0
2.99
21.0
1.19
7.0
2.24
2.0
1.50
3.0
0.81
8.0
30.4
4.0
3.41
11.0
0.73
11.0
1.31
15.0
20.8
1.0
50m
80m
98m
122m
149m
161m
212m
251m
ASSAYS PENDING
3000N
3100N
3200N
Atlantic Gold hole from previous drilling programs
Current diamond drill hole (CH-16-0xx)
2.24
23.0
Gold grade (g/t)/downhole interval (m)
Note: assays for previous (pre-2016) holes are 30g fire assays on whole-sample pulverized, 1m, sawn, half NQ core samples. Selection parameters for mineralized intervals as displayed are consistent with those for the current 2016 drill holes.
ATLANTIC GOLD CORPORATION
COCHRANE HILL GOLD PROJECT
SECTION 3100E
Scale 1:1500
11 June 2017


S
N
CH-08-022
CH-08-023
CH-08-020
CH-08-021
CH-16-107
CH-16-128
CH-16-105
CH-16-103
1100mRL
1000mRL
900mRL
3000N
3100N
3200N
0.66
8.0
0.68
27.0
1.74
26.0
3.46
5.0
1.24
11.0
2.49
2.0
8.80
16.0
28.2
3.0
3.34
27.0
67.8
1.0
2.44
3.0
1.05
4.0
18.7
1.0
0.83
4.0
25.9
1.0
0.91
11.0
1.26
5.0
1.36
6.0
3.34
2.0
1.76
33.0
0.70
8.0
1.72
7.0
2.54
13.0
302
1.0
1.10
7.0
32m
62m
82.9m
110m
143m
164m
182m
212m
Atlantic Gold hole from previous drilling programs
Current diamond drill hole (CH-16-0xx)
2.24
23.0
Gold grade (g/t)/downhole interval (m)
Note: assays for previous (pre-2016) holes are 30g fire assays on whole-sample pulverized, 1m, sawn, half NQ core samples. Selection parameters for mineralized intervals as displayed are consistent with those for the current 2016/17 drill holes.
ATLANTIC GOLD CORPORATION
COCHRANE HILL GOLD PROJECT
SECTION 3075E
Scale 1:1500
11 June 2017


S
N
CH-08-028
CH-08-029
CH-08-030
CH-16-101
CH-16-122
CH-16-121
CH-16-119
CH-16-109
CH-17-197
1100mRL
1000mRL
900mRL
0.80
5.0
2.08
9.0
10.15
3.0
5.84
5.0
1.58
9.0
1.29
3.0
15.7
1.0
11.25
1.0
2.46
24.0
2.14
5.0
3.26
6.0
1.57
14.0
1.74
38.0
1.64
31.0
1.65
2.0
7.94
1.0
0.71
19.0
2.41
13.0
0.68
7.0
0.85
21.0
1.27
21.0
55.5m
65.3m
110.3m
152m
191m
200m
212m
245m
272m
3000N
3100N
3200N
Atlantic Gold hole from previous drilling programs
Current diamond drill hole (CH-16-0xx)
2.24
23.0
Gold grade (g/t)/downhole interval (m)
Note: assays for previous (pre-2016) holes are 30g fire assays on whole-sample pulverized, 1m, sawn, half NQ core samples. Selection parameters for mineralized intervals as displayed are consistent with those for the current 2016 drill holes.
ATLANTIC GOLD CORPORATION
COCHRANE HILL GOLD PROJECT
SECTION 3050E
Scale 1:1500
11 June 2017


S
N
CH-08-026
CH-08-027
CH-16-095
CH-16-093
CH-16-099
CH-16-097
1100mRL
1000mRL
900mRL
2.39
18.4
30.1m
113.5
1.0
3.44
2.0
0.78
10.0
44.9m
0.79
24.0
4.22
2.0
98m
1.95
19.0
3.00
1.0
0.78
7.0
0.99
16.0
140m
170m
1.84
2.0
3.27
1.0
2.06
7.0
221m
2900N
3000N
3100N
3200N
Atlantic Gold hole from previous drilling programs
Current diamond drill hole (CH-16-0xx)
2.24
23.0
Gold grade (g/t)/downhole interval (m)
Note: assays for previous (pre-2016) holes are 30g fire assays on whole-sample pulverized, 1m, sawn, half NQ core samples. Selection parameters for mineralized intervals as displayed are consistent with those for the current 2016 drill holes.
ATLANTIC GOLD CORPORATION
COCHRANE HILL GOLD PROJECT
SECTION 3025E
Scale 1:1500
11 June 2017


S
N
CH-08-025
CH-09-047
CH-17-196
CH-16-124
CH-16-127
CH-17-195
CH-16-108
1100mRL
1000mRL
900mRL
1.12
6.0
0.83
4.0
1.72
2.0
1.24
11.0
7.80
4.0
2.49
2.0
0.48
6.0
70.9m
61.7m
2.59
2.0
101m
No Significant Assays
ASSAYS PENDING
0.63
6.0
3.47
2.0
131m
2.77
8.0
5.19
3.0
161m
185m
0.57
5.0
203m
3000N
3100N
3200N
Atlantic Gold hole from previous drilling programs
Current diamond drill hole (CH-16-0xx)
2.24
23.0
Gold grade (g/t)/downhole interval (m)
Note: assays for previous (pre-2016) holes are 30g fire assays on whole-sample pulverized, 1m, sawn, half NQ core samples. Selection parameters for mineralized intervals as displayed are consistent with those for the current 2016 drill holes.
ATLANTIC GOLD CORPORATION
COCHRANE HILL GOLD PROJECT
SECTION 3000E
Scale 1:1500
11 June 2017


S
N
CH-17-199
CH-17-198
CH-17-194
CH-17-191
CH-16-120
CH-16-118
CH-16-116
CH-16-113
CH-16-110
1100mRL
1000mRL
900mRL
3000N
3100N
3200N
3300N
2.32 / 2.0
3.02 / 1.0
20.8 / 1.0
0.63 / 5.0
7.52 / 2.0
3.62 / 2.0
22.1 / 1.0
12.95 / 1.0
12.8 / 1.0
1.35 / 5.0
35.9 / 4.0
0.43 / 16.0
2.56 / 2.0
5.19 / 1.0
0.92 / 5.0
2.24 / 3.0
1.16 / 10.0
0.55 / 11.0
3.79 / 1.0
1.18 / 10.0
3.40 / 9.0
29.6 / 2.0
52m
61m
100m
131m
161m
182m
212m
233m
251m
Current diamond drill hole (CH-17-xxx)
2.24 / 23.0
Gold grade (g/t)/downhole interval (m)
ATLANTIC GOLD CORPORATION
COCHRANE HILL GOLD PROJECT
SECTION 2975E
Scale 1:1500
11 June 2017


S
N
CH-17-162
CH-17-159
CH-17-156
CH-17-153
CH-17-175
CH-17-144
CH-17-142
CH-17-140
CH-17-138
CH-17-145
1100mRL
1000mRL
900mRL
52m
82m
100m
122m
160m
182m
200m
224m
242m
260m
3000N
3100N
3200N
1.94 8.0
1.20 3.0
24.0 1.0
0.59 8.0
4.61 1.0
3.31 1.0
1.02 8.0
0.95 21.0
2.85 5.0
0.49 8.0
20.9 1.0
0.64 14.0
10.08 6.0
1.50 4.0
1.18 6.0
5.55 1.0
0.82 5.0
9.05 1.0
0.68 24.0
2.00 4.0
9.34 1.0
4.78 1.0
0.64 9.0
1.90 17.0
0.64 21.0
Current diamond drill hole (CH-17-xxx)
2.24 23.0
Gold grade (g/t)/downhole interval (m)
ATLANTIC GOLD CORPORATION
COCHRANE HILL GOLD PROJECT
SECTION 2950E
Scale 1:1500
11 June 2017


S
N
CH-17-137
CH-17-139
CH-17-141
CH-17-185
CH-17-182
CH-17-151
CH-17-149
CH-17-147
1100mRL
1000mRL
900mRL
0.88
6.0
0.96
5.0
7.00
6.0
1.73
12.0
3.48
16.0
82m
1.63
16.0
121m
0.87
5.0
3.41
1.0
4.86
1.0
0.81
21.0
151m
171m
0.98
10.0
4.82
1.0
1.33
10.0
1.28
4.0
2.00
4.0
2.22
13.0
0.60
12.0
200m
230m
1.11
5.0
260m
281m
3000N
3100N
3200N
Current diamond drill hole (CH-17-xxx)
2.24
23.0
Gold grade (g/t)/downhole interval (m)
ATLANTIC GOLD CORPORATION
COCHRANE HILL GOLD PROJECT
SECTION 2925E
Scale 1:1500
11 June 2017


S
N
CH-17-150
CH-17-148
CH-17-146
CH-17-143
CH-17-214
CH-17-211
CH-17-221
1100mRL
1000mRL
900mRL
5.10
1.0
32.8
1.0
0.65
6.0
33.5
1.0
4.19
1.0
4.16
1.0
8.01
1.0
4.40
2.0
1.23
14.0
2.67
2.0
0.80
4.0
70m
112m
142m
170m
190m
250m
102.6m
ASSAYS PENDING
ASSAYS PENDING
ASSAYS PENDING
3000N
3100N
3200N
Current diamond drill hole (CH-17-xxx)
2.24
23.0
Gold grade (g/t)/downhole interval (m)
ATLANTIC GOLD CORPORATION
COCHRANE HILL GOLD PROJECT
SECTION 2900E
Scale 1:1500
11 June 2017


S
N
CH-17-178
CH-17-174
CH-17-171
CH-17-164
CH-17-203
CH-17-202
CH-17-208
1100mRL
1000mRL
900mRL
1.31
3.0
4.00
1.0
5.50
5.0
0.38
9.0
3.40
5.0
2.91
3.0
5.04
5.0
1.66
18.0
5.49
1.0
0.80
4.0
2.96
3.0
3.59
1.0
0.68
12.0
82m
133m
154.9m
172m
190m
220m
240m
ASSAYS PENDING
ASSAYS PENDING
3000N
3100N
3200N
Current diamond drill hole (CH-17-xxx)
2.24
23.0
Gold grade (g/t)/downhole interval (m)
ATLANTIC GOLD CORPORATION
COCHRANE HILL GOLD PROJECT
SECTION 2875E
Scale 1:1500
11 June 2017


S
N
CH-17-224
CH-17-223
CH-17-222
CH-17-219
CH-17-207
CH-17-206
1100mRL
1000mRL
900mRL
ASSAYS PENDING
ASSAYS PENDING
ASSAYS PENDING
ASSAYS PENDING
ASSAYS PENDING
ASSAYS PENDING
80m
122m
152m
161m
182m
212m
3000N
3100N
3200N
Current diamond drill hole (CH-17-xxx)
2.24
23.0
Gold grade (g/t)/downhole interval (m)
ATLANTIC GOLD CORPORATION
COCHRANE HILL GOLD PROJECT
SECTION 2850E
Scale 1:1500
11 June 2017


S
N
CH-17-190
CH-17-186
CH-17-184
CH-17-181
CH-17-193
CH-17-192
1100mRL
1000mRL
900mRL
4.86
1.0
6.10
1.0
2.18
8.0
20.9
1.0
15.4
14.0
15.2
2.0
0.47
12.0
2.83
3.0
1.31
5.0
14.35
1.0
0.47
9.0
0.79
5.0
82m
112m
130m
151m
172m
190m
3000N
3100N
3200N
Current diamond drill hole (CH-17-xxx)
2.24
23.0
Gold grade (g/t)/downhole interval (m)
ATLANTIC GOLD CORPORATION
COCHRANE HILL GOLD PROJECT
SECTION 2825E
Scale 1:1500
11 June 2017


S
N
CH-17-217
CH-17-216
CH-17-213
CH-17-210
CH-17-201
CH-17-200
1100mRL
1000mRL
900mRL
ASSAYS PENDING
ASSAYS PENDING
ASSAYS PENDING
1.00
3.0
9.15
1.0
1.11
6.0
3.04
4.0
14.45
1.0
1.43
8.0
9.60
7.0
5.84
1.0
92m
121m
130m
161m
191m
212m
3000N
3100N
3200N
Current diamond drill hole (CH-17-xxx)
2.24
23.0
Gold grade (g/t)/downhole interval (m)
ATLANTIC GOLD CORPORATION
COCHRANE HILL GOLD PROJECT
SECTION 2800E
Scale 1:1500
11 June 2017


S
N
CH-17-168
CH-16-111
CH-16-112
CH-16-114
CH-16-115
CH-16-117
CH-17-166
1100mRL
1000mRL
900mRL
3000N
3100N
3200N
71m
95m
110m
134m
161m
200m
212m
9.44
5.0
2.80
5.0
2.25
12.0
11.5
6.0
0.66
14.0
7.87
1.0
0.72
5.0
4.04
6.0
5.68
1.0
9.41
1.0
5.81
1.0
1.58
6.0
4.41
3.0
Current diamond drill hole (CH-16-xxx)
2.24
23.0
Gold grade (g/t)/downhole interval (m)
ATLANTIC GOLD CORPORATION
COCHRANE HILL GOLD PROJECT
SECTION 2775E
Scale 1:1500
11 June 2017


S
N
CH-17-189
CH-17-188
CH-17-163
CH-17-161
HIGHWAY
1100mRL
1000mRL
900mRL
0.84
5.0
0.93
12.2
4.87
5.0
3.83
1.0
80m
101m
10.90
1.0
9.87
1.0
2.09
4.0
170m
11.85
1.0
200m
3000N
3100N
3200N
Current diamond drill hole (CH-17-xxx)
2.24
23.0
Gold grade (g/t)/downhole interval (m)
ATLANTIC GOLD CORPORATION
COCHRANE HILL GOLD PROJECT
SECTION 2750E
Scale 1:1500
11 June 2017


S
N
CH-17-177
CH-17-176
CH-17-169
CH-17-170
CH-17-172
1100mRL
1000mRL
900mRL
No Significant Assays
No Significant Assays
5.29
1.0
6.51
1.0
4.01
1.0
1.34
6.0
90m
110m
131m
152m
170m
3000N
3100N
3200N
Current diamond drill hole (CH-17-xxx)
2.24
23.0
Gold grade (g/t)/downhole interval (m)
ATLANTIC GOLD CORPORATION
COCHRANE HILL GOLD PROJECT
SECTION 2725E
Scale 1:1500
11 June 2017


S
N
CH-17-179
CH-17-180
CH-17-183
CH-17-167
CH-17-187
CH-17-173
1100mRL
1000mRL
900mRL
No Significant Assays
No Significant Assays
No Significant Assays
No Significant Assays
7.89
1.0
1.55
4.0
40.5
1.0
1.66
2.0
92m
110m
131m
152m
170m
190m
3000N
3100N
3200N
Current diamond drill hole (CH-17-xxx)
2.24
23.0
Gold grade (g/t)/downhole interval (m)
ATLANTIC GOLD CORPORATION
COCHRANE HILL GOLD PROJECT
SECTION 2700E
Scale 1:1500
11 June 2017


S
N
CH-17-165
1100mRL
7.07
1.0
1000mRL
191m
900mRL
3000N
3100N
3200N
Current diamond drill hole (CH-17-xxx)
2.24
23.0
Gold grade (g/t)/downhole interval (m)
ATLANTIC GOLD CORPORATION
COCHRANE HILL GOLD PROJECT
SECTION 2675E
Scale 1:1500
11 June 2017