# HP ElitePOS G1 Retail System series

# Retail redefined by design.

With security, durability, and flexibility built into its gorgeous design, the HP ElitePOS system meets the demands of your business and marks a new era in retail.







## Sleek. Modern. Adaptable.

• Designed to adapt to any retail or hospitality environment, the HP ElitePOS system features a versatile ecosystem of accessories.<sup>1</sup> Build the ideal solution for your business—whether it's a checkout, interactive signage or self-service.

### Secure data. Protect customers.

• Today's business calls for next-level security. The HP ElitePOS answers with a self-healing PC BIOS and firmware that shields the BIOS against attacks to help keep your data, devices, and customers safe and secure.

### Durable. Powerful. Built for the day ahead.

- Power through your peaks with 7th generation Intel® processors and a durable system that has a 5-year lifecycle and up to a 3-year standard limited warranty.<sup>2</sup> Get up to 5 years peace of mind with optional HP Care services.<sup>3</sup>
- Bring the digital and physical worlds together. Drive your business and deliver engaging, adaptable content and applications across devices and displays with the seamlessness of Windows 10 Pro or Windows 10 IoT.<sup>4</sup>
- **Optimize your space in style.** Set a new bar for sophistication with components and accessories that complement the HP ElitePOS aesthetic, including stands, magnetic stripe reader, barcode scanner, customer-facing displays, and an in-column or standalone receipt printer.<sup>1</sup>
- Alluring and easy to use. Engage customers and enable associates with a modern, polished 14" diagonal touchscreen display that's intuitive and responsive for fast interaction and has an anti-glare coating to minimize light interference.
- **Retail-ready durability.** Entrust a device that's not only beautiful but retail-hardened. It's designed to pass MIL-STD 801G with a sturdy, anodized aluminum chassis that resists spills by channeling liquids away from the screen.<sup>5</sup>
- Secure inside and out. Get extra protection with the automatic updates and security checks of HP BIOSphere Gen3. Control application and system access with Device Guard and Credential Guard. Speed logins with an optional fingerprint reader and Windows Hello.<sup>67,8</sup>
- **Powerhouse performer.** The HP ElitePOS is ready for duty with 7th generation Intel<sup>®</sup> processors, efficient M.2 storage, fast DDR4 memory, and optional wireless LAN with Bluetooth<sup>®</sup>. An integrated SD card reader supports easy backup, deployment, and servicing.<sup>1,9</sup>

# **Component Breakdown Top-to-bottom**

- 1. Head unit: Choice of Model 141 (Intel<sup>®</sup> Celeron<sup>®</sup> 3965U), 143 (Intel<sup>®</sup> Core™ i3 -7100U) or 145 (Intel<sup>®</sup> i5 -7300U)
- 2. Fixed Position or Swivel & Tilt stand or No Stand Option
- 3. Optional Integrated Printer or Stand Spacer
- Stability Base Plate
   Connectivity Base: 2 Options based on I/O requirements



## Accessories

Accessories	1RL96AA HP ElitePOS Serial/USB Thermal Printer	
	1RL95AA HP ElitePOS Top Mount 2x20 CFD	
	1RL97AA HP ElitePOS Top Mount 2x20 CFD	
	1XD81AA HP ElitePOS 10.1 in Touch Display	
	1RL98AA HP ElitePOS Fingerprint Reader	
	1XD80AA HP ElitePOS 10.1in Non-Touch Display	

# **Technical specifications**

Model	HP ElitePOS G1 Retail System Model 141	HP ElitePOS G1 Retail System Model 143	HP ElitePOS G1 Retail System Model 145	
Available Operating System	Windows 10 Pro 64-bit <sup>1</sup> Windows 10 IoT Enterprise 2016 LTSB 64-bit <sup>1</sup> FreeDOS SUSE Linux Enterprise Desktop 12 (certification only)			
Available Processors	Intel <sup>®</sup> Celeron <sup>®</sup> 3965U with Intel <sup>®</sup> HD Graphics 610 (2.2 GHz, 2 MB cache, 2 cores) <sup>23,7</sup>	Intel <sup>®</sup> Core™ i3-7100U with Intel <sup>®</sup> HD Graphics 620 (2.4 GHz, 3 MB cache, 2 cores) <sup>2,3,7</sup>	Intel <sup>®</sup> Core <sup>™</sup> i5-7300U with Intel <sup>®</sup> HD Graphics 620 (2.6 GHz base frequency, up to 3.5 GHz with Intel <sup>®</sup> Turbo Boost Technology 2.0, 3 MB cache, 2 cores) <sup>2,3,7</sup>	
Chipset	Multi-chip package			
Maximum Memory	32 GB DDR4-2400 SDRAM 4			
Memory Slots	2 SODIMM Transfer rates up to 2400 MT/s.			
Maximum Internal Storage	512 GB SATA SSD (M.2) <sup>s</sup> 1 TB PCle® NVMe™ SSD <sup>s</sup>			
Internal Drive Bays	One M.2			
Expansion Slots	1 M.2 2230; SD card reader <sup>6</sup>			
Ports and Connectors	Back 1 cash drawer connector; 1 USB Type-C™ (charging); 1 power connector; 3 serial; 4 USB; 2 USB 3.0; 1 RJ-45 <sup>13</sup> Side 1 headset connector <sup>14</sup>			
Audio	Integrated HD audio with Realtek ALC3228 codec with standards internal speakers and stereo headphone jack			
Display	14" diagonal FHD anti-glare touch screen (1920 x 1080) 16			
Available Software	HP business PCs are shipped with a variety of software titles including: HP BIOSphere with Sure Start Generation 3.0, HP Support Assistant, HP Dev Guard, HP Credential Guard. Please refer to this product's quick spec document for a full list of preinstalled software. 9			
Security Management	Power-on password (via BIOS); Setup password (via BIOS); VESA mounting; HP ElitePOS Keyed Cable Lock; HP FingerPrint Sensor (optional); HP BIOSphere with SureStart Gen 3; Device guard; Credential guard and password protection; Trusted Platform Module TPM 2.0 Embedded Security Chip; USB enable/disable (via BIOS) <sup>9,12</sup>			
Dimensions (W x D x H)	33.62 X 21.64 X 1.76 cm (head unit); 9.6 x 9.6 x 26.0 cm (stand with column printer); 28.4 x 16.2 x 2.92 cm (connectivity base) 13.23 x 8.51 x .69 in (head unit); 3.77 x 3.77 x 10.2 in (stand with column printer); 11.23 x 6.37 x 1.14 in (connectivity base)			
Weight	1.33 kg (rotate stand); 1.09 kg (fixed stand); 1.38 kg (head unit); 0.56 kg (connectivity base); 1.94 kg (printer) 2.92 lb (rotate stand); 2.39 lb (fixed stand); 3.03 lb (head unit); 1.23 lb (connectivity base); 4.26 lb (printer)			
Operating environment	Temperature: 10 to 40°C			
Power	120 W, 88% efficiency, active PFC (basic base); 180 W, 89% efficiency, active PFC (advanced base); 65 W, 89% efficiency at 20 V, active PFC (display head unit)			
Energy Efficiency Compliance	ENERGY STAR® certified and EPEAT® registered configurations available <sup>10</sup>			
Environmental Specifications	Low halogen <sup>11</sup>			
Accessories	HP ElitePOS Serial/USB Thermal Printer 1RL96AA; HP ElitePOS Top Mount 2x20 CFD 1RL95AA; HP ElitePOS 2D Barcode Scanner 1RL97AA; HP ElitePOS 10.1 in Touch Display 1XD81AA; HP ElitePOS 10.1 in Non-Touch Display 1XD80AA; HP ElitePOS Fingerprint Reader 1RL98AA. Configurable only: HP ElitePOS MSR; HP ElitePOS Column Printer; HP ElitePOS Rotate/Tilt Stand; HP ElitePOS Fixed Position Stand.			

#### Footnotes

<sup>1</sup>Optional features sold separately or as add-on features.

<sup>2</sup>1- or 3-year limited warranty, depending on country.

Part Care Services are optional. Service levels and response times for HP Care Pack Services may vary depending on your geographic location. Service starts on date of hardware purchase. Restrictions and limitations apply. For details, visit http://www.hp.com/go/cpc. HP services are governed by the applicable HP terms and conditions of service provided or indicated to Customer at the time of purchase. Customer may have additional statutory rights according to applicable local laws, and such rights are not in any way affected by the HP terms and conditions of service or the HP Limited Warranty provided with your HP Product.

<sup>4</sup> Not all features are available in all editions or versions of Windows. Systems may require upgraded and/or separately purchased hardware, drivers, software or BIOS update to take full advantage of Windows functionality. Windows 10 is automatically updated, which is always enabled. ISP fees may apply and additional requirements may apply over time for updates. See http://www.windows.com

<sup>5</sup> MIL-STD testing is pending and is not intended to demonstrate fitness for U.S. Department of Defense contract requirements or for military use. Test results are not a quarantee of future performance under these test conditions. Accidental damage requires an optional HP Accidental Damage Protection Care Pack.

<sup>7</sup> Windows 10 Enterprise and Device Guard are only available for installation through HP Custom Integration Services to enterprise customers with a volume license to use Windows 10 Enterprise. Device Guard is not available with Windows 10 Pro.

<sup>8</sup> Optional fingerprint reader required. Windows Hello requires Windows 10 Pro.

<sup>9</sup> Wireless access point and Internet access required.

#### **Technical specifications disclaimers**

<sup>1</sup> Not all features are available in all editions or versions of Windows. Systems may require upgraded and/or separately purchased hardware, drivers, software or BIOS update to take full advantage of Windows functionality. Windows 10 is automatically undated

which is always enabled. ISP fees may apply and additional requirements may apply over time for updates. See http://www.windows.com/.

<sup>2</sup> Multicore is designed to improve performance of certain software products. Not all customers or software applications will necessarily benefit from use of this technology. Performance and clock frequency will vary depending on application workload and your hardware and software configurations. Intel's numbering is not a measurement of higher performance.

<sup>3</sup> Your product does not support Windows 8 or Windows 7. In accordance with Microsoft's support policy, HP does not support the Windows 8 or Windows 7 operating system on products configured with Intel and AMD 7th generation and forward processors or provide any Windows 8 or Windows 7 drivers on http://www.support.hp.com.

<sup>1</sup> Due to the non-industry standard nature of some third-party memory modules, we recommend HP branded memory to ensure compatibility. If you mix memory speeds, the system will perform at the lower memory speed. <sup>5</sup> For storage drives, GB = 1 billion bytes. TB = 1 trillion bytes. Actual formatted capacity is less. Up to 30 GB (for Windows 10) is reserved for system recovery software.

<sup>6</sup> Wireless cards are optional or add-on features and requires separately purchased wireless access point and internet service. Availability of public wireless access points limited. The specifications for the 802.11 ac WLAN are draft specifications and are not final. If the final specifications differ from the draft specifications, it may affect the ability of the notebook to communicate with other 802.11 ac WLAN devices. <sup>7</sup> Intel® HD Graphics 610: integrated on Celeron™ G3965U; Intel® HD Graphics 620: integrated on 7th gen Core™ i7/i5/i3 processors.

<sup>8</sup> Optional MSR is integrated directly into display head unit.

<sup>9</sup> HP BIOSphere with Sure Start available only on business PCs with HP BIOS. HP BIOSphere Gen 3 requires Intel<sup>®</sup> 7th generation processors.

<sup>10</sup> EPEAT® registered where applicable. EPEAT registration varies by country. See www.epeat.net for registration status by country.
<sup>11</sup> External power supplies, power cords, cables and peripherals are not low halogen. Service parts obtained after purchase may not be low halogen.

<sup>12</sup> Device Guard is only available with Windows 10 DF 64 Enterprise LTSB for Retail. Device Guard is not available with Windows 10 Pro. <sup>13</sup> Optional HP ElitePOS Basic or Advanced I/O Connectivity base. Advanced I/O Base available early 2018. Refer to quick specs for full I/O specifications.

 <sup>14</sup> LAN - in Retail I/O Connectivity Base.
 <sup>15</sup> Nits is the measure of the typical brightness of the panel as specified, prior to anti-glare coating. <sup>16</sup> For further details please refer to Quick Specs document

Copyright © 2017 HP Development Company, L.P. The only warranties for HP products are set forth in the express limited warranty statements accompanying such products. Nothing herein should be construed as constituting an additional warranty. HP shall not be liable for technical or editorial errors or omissions contained herein.

