



Centerra Gold Inc. - Kumtor Project
Diamond Drill Hole Locations
Period: April 1st, 2018 to June 30th, 2018

Page 1 of 2

Hole ID	Latitude	Longitude	Elevation (m)	Length (m)	Collar Azimuth	Collar Dip	Purpose
D1782	41.848794	78.184571	3866.86	64.2	319	-55	Hockey Stick Zone Exploration
D1782A	41.848714	78.184479	3866.95	42.80	319	-55	Hockey Stick Zone Exploration
D1783	41.847488	78.188723	3828.00	320.00	319	-30	Hockey Stick Zone Exploration

Projection: WGS 84

Azimuth: Magnetic

Notes: This information should be read together with our news release of August 1, 2018. Tables are current as of June 30, 2018.

Boris Kotlyar, a member with the American Institute of Professional Geologists (AIPG) is Centerra's is the qualified person for the purpose of National Instrument 43-101.



Centerra Gold Inc. - Kumtor Project
Diamond Drill Hole Assay Results
Period: April 1st, 2018 to June 30th, 2018

Page 2 of 2

Drill Hole	Location	Purpose	From (m)	To (m)	Core Length (m)	Au (g/t)
D1782	Hockey Stick Zone		Hole was stopped due to technical difficulties before target was reached			
D1782A	Hockey Stick Zone		Hole was stopped due to technical difficulties before target was reached			
D1783	Hockey Stick Zone	Section -54. Test mineralization zone.	207.80	217.70	9.90	5.75
			248.10	254.90	6.80	1.01

Notes: This information should be read together with our news release of August 1, 2018. Tables are current as of June 30, 2018.

Individual assays are top cut to 60 g/t Au prior to composite calculation


Reported intervals are longer than 4.0 m, grade greater than 1.0 g/t Au and include maximum internal waste of 5.0 m where it exists.

Boris Kotlyar, a member with the American Institute of Professional Geologists (AIPG) is Centerra's is the qualified person for the purpose of National Instrument 43-101.



Kumtor Project

*Drill Hole Location Map
GOLD GRADE x THICKNESS
Plan View*




Legend

- ★ Q2 2018 Completed Hole
- Pre-2018 Completed Hole


D1783 Hole Name

5.75 / 9.9 m AU Grade / Interval Length
g/t m

Kumtor Project



Kumtor Project



Kumtor, Hockey Stick Zone, drill hole results, Q2 2018

This information should be read together with our news release of August 1, 2018.

Boris Kotlyar, a member with the American Institute of Professional Geologists (AIPG) is Centerra's the qualified person for the purpose of National Instrument 43-101.



Centerra Gold Inc. - Mount Milligan Drilling Summary **Diamond Drill Hole Locations**

Period: April 1st, 2018 to June 30th, 2018

Page 1 of 5

Hole ID	Location Easting	Location Northing	Elevation (m)	Length (m)	Collar Azimuth	Collar Dip	Purpose
18-1061	433819.31	6109250.00	1143.52	299.92	270	-80	Near-pit exploration
18-1062	433778.31	6109249.78	1144.09	305.41	270	-60	Near-pit exploration
18-1063	433825.63	6109146.43	1138.88	321.26	270	-80	Near-pit exploration
18-1064	433931.14	6109158.99	1142.69	559.92	90	-72	Near-pit exploration
18-1065	433875.15	6109600.23	1159.74	598.02	90	-85	Near-pit exploration
18-1066	433872.14	6109600.61	1157.67	351.74	270	-72	Near-pit exploration
18-1067	433944.63	6109603.27	1148.39	562.66	90	-65	Near-pit infill/exploration
18-1068	434027.56	6108898.43	1099.35	384.05	360	-65	Near-pit exploration
18-1069	434389.81	6109389.57	979.52	502.01	270	-50	Near-pit exploration
18-1070	434444.19	6109299.49	979.43	451.41	90	-80	Near-pit exploration
18-1071	433973.23	6109350.85	1132.89	531.88	0	-90	Near-pit infill/exploration
18-1072	433973.23	6109350.85	1132.89	525.02	270	-72	Near-pit infill/exploration
18-1073	433973.23	6109350.85	1132.89	492.86	270	-50	Near-pit infill/exploration
18-1074	434128.21	6108478.00	1161.86	226.77	330	-80	Near-pit infill/exploration
18-1075	434217.26	6108397.06	1154.87	230.73	275	-90	Near-pit infill/exploration
18-1076	434864.80	6109712.00	1083.98	206.35	270	-80	Near-pit infill/exploration
18-1077	434960.30	6109711.00	1106.39	252.07	270	-80	Near-pit infill/exploration

Projection: UTM NAD83 Zone 10N

Azimuth: Relative to True North

Notes: This information should be read together with our news release of August 1, 2018. Tables are current as of June 30, 2018.

C. Paul Jago, a Member of Engineers and Geoscientists British Columbia, is Centerra's qualified person for the purpose of National Instrument 43-101.

Drillholes 18-1061 to 18-1064 completed in March 2018; assay results returned in Q2 2018



Centerra Gold Inc. - Mount Milligan Drilling Summary
Diamond Drill Hole Assay Results
Period: April 1st, 2018 to June 30th, 2018

Page 2 of 5

Drill Hole	Location	Purpose	From (m)	To (m)	Core Length (m)	Au ppm	Cu %	Ag ppm
18-1061	DWBX zone	Section 6109250 N. Test for extension of mineralization to the west of 18-1060 and historic DDH 07-975.	31.40	39.05	7.65	0.309	0.057	5.5
			107.00	113.00	6.00	0.155	0.033	1.1
			133.00	143.00	10.00	0.173	0.031	1.8
			168.00	171.65	3.65	0.206	0.033	1.7
			183.00	191.00	8.00	0.169	0.107	4.0
			236.00	241.50	5.50	0.982	0.051	3.3
			<i>including</i> 236.00	<i>238.05</i>	<i>2.05</i>	<i>2.200</i>	<i>0.075</i>	<i>6.2</i>
18-1062	DWBX zone	Section 6109250 N. Test for extension of mineralization to the west of 18-1060, 18-1061 and north of the 2017 fan of holes.	6.10	14.00	7.90	0.103	0.085	2.3
			24.00	36.00	12.00	0.325	0.157	3.4
			121.00	124.00	3.00	0.195	0.060	0.8
			140.00	148.35	8.35	0.245	0.112	7.7
			152.35	156.05	3.70	4.506	0.976	103.6
			163.95	167.00	3.05	3.796	0.823	27.6
			188.00	199.00	11.00	0.182	0.092	2.7
			230.00	234.00	4.00	0.161	0.100	5.6
18-1063	DWBX zone	Section 6109150 N. Test for extension of mineralization south of fan of drill holes 17-1048 to 17-1051.	7.66	19.00	11.34	0.276	0.084	7.0
			23.00	36.35	13.35	0.155	0.057	2.8
			40.35	47.35	7.00	0.493	0.061	32.4
			<i>including</i> 41.50	<i>43.50</i>	<i>2.00</i>	<i>1.334</i>	<i>0.095</i>	<i>108.0</i>
			102.70	110.00	7.30	0.248	0.039	2.2
			128.00	137.30	9.30	0.435	0.006	1.6
			<i>including</i> 132.00	<i>134.00</i>	<i>2.00</i>	<i>1.088</i>	<i>0.015</i>	<i>4.5</i>
			175.00	180.00	5.00	0.300	0.035	2.0
			200.00	210.00	10.00	0.261	0.118	2.9
			217.30	221.20	3.90	0.251	0.068	1.1
18-1064	DWBX zone	Section 6109150 N. Test for extension of mineralization south of fan of drill holes 17-1048 to 17-1051.	262.00	268.00	6.00	0.217	0.096	4.6
			307.00	311.00	4.00	1.142	0.038	3.3
			29.46	33.46	4.00	0.171	0.065	0.7
			38.90	41.00	2.10	1.242	0.015	4.5
			45.00	50.00	5.00	0.175	0.012	1.4
			54.00	66.00	12.00	0.229	0.039	0.6
			95.85	107.94	12.09	0.141	0.155	2.4
			111.94	154.79	42.85	0.536	0.121	6.0
			<i>including</i> 118.27	<i>120.82</i>	<i>2.55</i>	<i>5.914</i>	<i>0.255</i>	<i>59.2</i>
			172.26	185.57	13.31	0.180	0.092	2.1
			197.61	200.11	2.50	0.219	0.019	0.4
			207.81	215.77	7.96	0.128	0.082	0.8
			240.54	257.64	17.10	0.238	0.110	0.9
			261.64	276.67	15.03	0.216	0.097	0.7
			286.73	308.56	21.83	0.173	0.072	1.1
			389.89	395.83	5.94	0.104	0.119	0.3
			409.29	411.89	2.60	0.332	0.082	0.7
			415.89	421.57	5.68	0.124	0.129	0.6
			474.52	520.20	45.68	0.190	0.213	0.7
			537.11	542.41	5.30	0.115	0.181	0.6

Notes: This information should be read together with our news release of August 1, 2018. Tables are current as of June 30, 2018.

Assays are reported true values without top cutting

Reported intervals are longer than 2.0 m, grade greater than 0.1 g/t Au and include maximum internal waste of 4.0 m where it exists.

C. Paul Jago, a Member of Engineers and Geoscientists British Columbia, is Centerra's qualified person for the purpose of National Instrument 43-101.

Drillholes 18-1061 to 18-1064 completed in March 2018; assay results returned in Q2 2018



Centerra Gold Inc. - Mount Milligan Drilling Summary
Diamond Drill Hole Assay Results
Period: April 1st, 2018 to June 30th, 2018

Page 3 of 5

Drill Hole	Location	Purpose	From (m)	To (m)	Core Length (m)	Au ppm	Cu %	Ag ppm
18-1065	DWBX zone	Section 6109600 N. Test for extension of mineralization 50 m north 17-1047.	6.10	23.30	17.20	0.479	0.037	0.4
			<i>including</i> 10.10	12.70	2.60	2.099	0.032	0.5
			37.70	48.90	11.20	0.265	0.028	0.4
			98.30	106.30	8.00	0.369	0.158	8.1
			<i>including</i> 98.30	100.30	2.00	1.089	0.170	30.0
			129.50	135.30	5.80	0.129	0.203	0.4
			164.60	179.40	14.80	0.124	0.231	0.4
			183.40	189.40	6.00	0.164	0.320	0.4
			199.40	204.20	4.80	0.129	0.150	0.3
			249.30	253.30	4.00	0.202	0.082	0.5
			271.70	307.30	35.60	0.268	0.153	0.7
			313.30	321.30	8.00	0.183	0.123	0.4
			329.30	379.60	50.30	0.357	0.131	0.5
			<i>including</i> 365.60	367.60	2.00	3.997	0.159	1.8
			408.30	418.30	10.00	0.183	0.213	1.1
			429.10	458.00	28.90	0.353	0.149	1.4
			<i>including</i> 435.10	437.10	2.00	1.791	0.151	3.2
			466.00	474.00	8.00	0.177	0.199	0.9
			489.40	523.31	33.91	0.146	0.156	1.2
			540.94	545.66	4.72	0.112	0.020	1.4
			549.74	556.00	6.26	0.114	0.025	2.7
			567.00	579.75	12.75	0.227	0.060	1.8
18-1066	DWBX zone	Section 6109600 N. Scissor pair of holes with 18-1065. Test for extension of mineralization 50 m north 17-1047.	6.40	10.34	3.94	0.411	0.038	0.5
			81.38	89.38	8.00	1.240	0.083	20.2
			<i>including</i> 81.38	83.38	2.00	4.564	0.094	78.9
			99.00	112.00	13.00	0.178	0.117	0.6
			118.00	124.00	6.00	0.137	0.076	0.4
			133.00	154.00	21.00	0.176	0.032	1.3
			160.00	172.00	12.00	0.118	0.064	0.2
			176.70	191.00	14.30	0.203	0.238	0.5
			225.80	228.00	2.20	0.209	0.252	0.5
			233.00	242.00	9.00	0.156	0.266	0.5
18-1067	DWBX zone	Section 6109600 N. Infill low density drilling, test for extension of mineralization, extent of the DWBX stock and to pierce Harris Fault.	16.46	22.00	5.54	0.109	0.047	0.2
			28.00	34.00	6.00	0.111	0.099	0.2
			46.00	50.00	4.00	0.145	0.116	0.4
			54.00	88.00	34.00	0.217	0.210	2.9
			<i>including</i> 71.00	73.00	2.00	1.045	0.313	36.7
			100.00	161.00	61.00	0.251	0.299	0.5
			204.00	219.10	15.10	0.188	0.050	0.2
			240.00	247.00	7.00	0.230	0.099	0.4
			263.00	269.00	6.00	0.107	0.063	0.2
			275.90	283.00	7.10	0.129	0.043	0.5
			291.00	319.00	28.00	0.214	0.082	0.4
			323.00	356.00	33.00	0.453	0.152	3.5
			<i>including</i> 345.50	354.00	8.50	1.159	0.174	0.7
			372.00	497.00	125.00	0.242	0.198	0.8
			<i>including</i> 424.00	426.00	2.00	1.436	0.171	1.7
			520.00	530.00	10.00	0.223	0.192	0.3
			534.00	562.66	28.66	0.582	0.092	0.2
			<i>including</i> 536.00	539.00	3.00	4.034	0.142	0.2

Notes: This information should be read together with our news release of August 1, 2018. Tables are current as of June 30, 2018.

Assays are reported true values without top cutting

Reported intervals are longer than 2.0 m, grade greater than 0.1 g/t Au and include maximum internal waste of 4.0 m where it exists.

C. Paul Jago, a Member of Engineers and Geoscientists British Columbia, is Centerra's qualified person for the purpose of National Instrument 43-101.



Centerra Gold Inc. - Mount Milligan Drilling Summary
Diamond Drill Hole Assay Results
Period: April 1st, 2018 to June 30th, 2018

Page 4 of 5

Drill Hole	Location	Purpose	From (m)	To (m)	Core Length (m)	Au ppm	Cu %	Ag ppm
18-1068	Saddle zone	Section 6108900 N. Drilled north from same collar as 18-1057, targeting mineralization associated with Unnamed Stock.	178.00	186.00	8.00	0.124	0.141	0.6
			192.00	209.00	17.00	0.182	0.107	0.5
			225.00	322.30	97.30	0.406	0.179	1.0
			including 236.00	246.00	10.00	1.258	0.589	2.7
			326.30	341.00	14.70	0.228	0.135	1.9
			377.00	384.04	7.04	0.228	0.207	0.7
18-1069	MBX/WBX zone	Section 6109400 N. Drilled from near bottom of the MBX pit. Test footwall of MBX stock below ultimate pit and better define Harris Fault.	11.00	15.00	4.00	0.128	0.062	0.7
			23.00	123.75	100.75	0.417	0.364	0.8
			149.00	167.00	18.00	0.217	0.159	0.3
			171.00	176.00	5.00	0.215	0.160	0.2
			184.00	189.00	5.00	0.293	0.171	0.3
			231.00	235.00	4.00	0.230	0.059	3.8
			249.00	258.00	9.00	0.281	0.074	0.7
			322.00	333.65	11.65	0.241	0.062	1.0
			339.66	395.00	55.34	0.520	0.262	0.5
			including 346.00	348.73	2.73	1.416	0.430	0.6
			399.29	419.30	20.01	0.295	0.170	0.7
			423.67	427.00	3.33	0.172	0.053	0.6
			437.00	444.64	7.64	0.363	0.264	2.1
			450.00	468.12	18.12	0.124	0.100	0.6
			472.74	502.01	29.27	0.194	0.150	1.4
18-1070	DWBX zone	Section 6109300 N. Test down-dip extension of sill discovered in 2017 and a chargeability high geophysical anomaly.	3.66	76.00	72.34	0.519	0.232	0.7
			37.23	40.98	3.75	3.495	0.456	5.9
			including 57.00	60.40	3.40	1.129	0.384	0.6
			92.00	100.90	8.90	0.233	0.110	3.9
			127.03	133.00	5.97	0.099	0.044	0.1
			208.00	214.00	6.00	0.131	0.020	0.2
			218.00	236.00	18.00	0.150	0.018	0.2
			240.00	307.00	67.00	0.399	0.056	7.0
			including 261.00	267.00	6.00	1.727	0.345	60.6
			323.00	327.00	4.00	0.155	0.011	3.6
			360.00	386.00	26.00	0.320	0.019	6.5
			428.00	434.00	6.00	0.195	0.001	0.1
18-1071	DWBX zone	Section 6109350 N. First hole in a fan of three holes from the same collar location. Infill low density drilling and test for west extension of Cu-Au mineralization.	18.00	22.00	4.00	0.430	0.034	4.9
			26.00	28.11	2.11	0.888	0.042	10.2
			77.00	99.00	22.00	0.229	0.174	4.2
			105.00	115.80	10.80	1.244	0.067	5.7
			142.00	162.00	20.00	0.381	0.070	2.0
			166.00	177.00	11.00	0.098	0.032	1.1
			184.00	286.00	102.00	0.304	0.247	2.0
			including 207.00	208.00	1.00	1.129	0.451	45.1
			290.00	310.00	20.00	0.207	0.163	2.2
			314.00	321.00	7.00	0.214	0.255	0.5
			361.00	375.00	14.00	0.196	0.193	2.2
			393.00	401.00	8.00	0.360	0.055	5.9
			431.75	441.00	9.25	0.317	0.111	5.5
			446.55	455.00	8.45	0.924	0.092	25.0
			including 448.45	455.00	6.55	0.997	0.077	18.1
			523.00	528.15	5.15	0.347	0.030	2.0

Notes: This information should be read together with our news release of August 1, 2018. Tables are current as of June 30, 2018.

Assays are reported true values without top cutting

Reported intervals are longer than 2.0 m, grade greater than 0.1 g/t Au and include maximum internal waste of 4.0 m where it exists.

C. Paul Jago, a Member of Engineers and Geoscientists British Columbia, is Centerra's qualified person for the purpose of National Instrument 43-101.



Centerra Gold Inc. - Mount Milligan Drilling Summary
Diamond Drill Hole Assay Results
Period: April 1st, 2018 to June 30th, 2018

Page 5 of 5


Drill Hole	Location	Purpose	From (m)	To (m)	Core Length (m)	Au ppm	Cu %	Ag ppm
18-1072	DWBX zone	Section 6109350 N. Fan of three holes from the same collar location. Test for extension of Cu-Au mineralization farther west and below the ultimate pit.	13.00	20.10	7.10	0.664	0.038	3.7
			72.00	76.00	4.00	1.341	0.296	15.1
			<i>including</i> 74.00	<i>76.00</i>	<i>2.00</i>	<i>2.524</i>	<i>0.488</i>	<i>25.4</i>
			213.00	219.95	6.95	0.669	0.064	3.2
			237.00	312.00	75.00	0.239	0.157	1.5
			326.00	331.00	5.00	0.212	0.307	4.0
			335.00	345.00	10.00	0.142	0.180	1.1
			350.00	360.00	10.00	0.139	0.339	2.1
			364.00	380.35	16.35	0.206	0.520	1.8
			392.00	430.00	38.00	0.263	0.485	3.1
			435.00	445.00	10.00	0.113	0.192	1.1
18-1073	DWBX zone	Section 6109350 N. Third hole in a fan of three holes from the same collar location. Infill low density drilling and test for gold bearing vein style mineralization.	480.00	487.00	7.00	0.170	0.073	10.0
			491.00	495.00	4.00	0.164	0.119	1.4
			19.00	23.00	4.00	0.452	0.046	7.8
			56.50	62.00	5.50	0.164	0.169	5.2
			113.00	117.00	4.00	0.127	0.265	7.4
			197.00	209.00	12.00	0.819	0.233	16.9
			<i>including</i> 201.00	<i>205.00</i>	<i>4.00</i>	<i>2.045</i>	<i>0.572</i>	<i>45.6</i>
			309.00	314.40	5.40	0.102	0.023	1.7
			321.59	323.85	2.26	0.210	0.019	2.3
			339.53	352.00	12.47	0.254	0.022	1.1
			361.84	370.00	8.16	4.184	0.389	10.1
			<i>including</i> 361.84	<i>365.00</i>	<i>3.16</i>	<i>10.480</i>	<i>0.960</i>	<i>22.6</i>
			380.00	382.36	2.36	0.133	0.005	1.2
			409.00	413.00	4.00	0.221	0.039	2.4
			435.00	438.04	3.04	1.673	0.552	15.9
18-1074	Southern Star zone	Section 6108400 N. Infill near-surface Cu-Au mineralization and test for extension of mineralization below the ultimate pit.	<i>including</i> 437.00	<i>438.04</i>	<i>1.04</i>	<i>4.540</i>	<i>1.500</i>	<i>42.6</i>
			470.00	476.00	6.00	0.092	0.008	0.6
			488.00	492.00	4.00	0.474	0.018	1.0
			15.24	24.00	8.76	0.230	0.144	0.7
			29.44	49.35	19.91	0.871	0.634	1.7
			57.51	181.48	123.97	0.410	0.326	1.2
			<i>including</i> 90.00	<i>94.16</i>	<i>4.16</i>	<i>1.123</i>	<i>0.386</i>	<i>0.9</i>
			<i>including</i> 100.00	<i>107.52</i>	<i>7.52</i>	<i>1.376</i>	<i>0.588</i>	<i>1.7</i>
18-1075	Southern Star zone	Section 6108500 N. Infill near-surface and test for extension of mineralization below the ultimate pit.	189.00	192.00	3.00	0.848	0.098	0.9
			199.64	205.00	5.36	0.137	0.168	0.9
			209.00	212.03	3.03	0.200	0.214	1.4
			220.50	226.77	6.27	0.729	0.121	1.5
			15.24	59.00	43.76	0.281	0.276	1.1
			75.00	78.00	3.00	0.133	0.240	1.1
18-1076	EMBX zone	Section 6109700 N. Resource step out to test the continuity of Cu-Au mineralization east of the MBX zone.	90.07	99.00	8.93	0.190	0.148	0.7
			220.00	229.00	9.00	0.140	0.143	0.9
			69.00	91.00	22.00	0.283	0.482	1.1
			126.06	131.55	5.49	0.523	0.170	29.0
18-1077	EMBX zone	Section 6109700 N. Resource step out to test the continuity of Cu-Au mineralization east of the MBX zone.	169.00	206.35	37.35	0.278	0.153	3.7
			<i>including</i> 173.00	<i>174.00</i>	<i>1.00</i>	<i>3.186</i>	<i>1.230</i>	<i>72.4</i>
			123.65	129.00	5.35	0.178	0.110	1.1
			136.31	139.00	2.69	2.143	0.324	1.9
			144.00	153.98	9.98	0.265	0.120	1.4
18-1077	EMBX zone	Section 6109700 N. Resource step out to test the continuity of Cu-Au mineralization east of the MBX zone.	188.00	195.00	7.00	0.115	0.033	0.4
			199.00	222.00	23.00	0.160	0.076	0.6

Notes: This information should be read together with our news release of August 1, 2018. Tables are current as of June 30, 2018.

Assays are reported true values without top cutting


Reported intervals are longer than 2.0 m, grade greater than 0.1 g/t Au and include maximum internal waste of 4.0 m where it exists.

C. Paul Jago, a Member of Engineers and Geoscientists British Columbia, is Centerra's qualified person for the purpose of National Instrument 43-101.




This information should be read together with our news release of August 1, 2018.

C. Paul Jago, a Member of Engineers and Geoscientists British Columbia, is Centerra's qualified person for the purpose of National Instrument 43-101.




This information should be read together with our news release of August 1, 2018.

C. Paul Jago, a Member of Engineers and Geoscientists British Columbia, is Centerra's qualified person for the purpose of National Instrument 43-101.




This information should be read together with our news release of August 1, 2018.

C. Paul Jago, a Member of Engineers and Geoscientists British Columbia, is Centerra's qualified person for the purpose of National Instrument 43-101.




This information should be read together with our news release of August 1, 2018.

C. Paul Jago, a Member of Engineers and Geoscientists British Columbia, is Centerra's qualified person for the purpose of National Instrument 43-101.




This information should be read together with our news release of August 1, 2018.

C. Paul Jago, a Member of Engineers and Geoscientists British Columbia, is Centerra's qualified person for the purpose of National Instrument 43-101.




This information should be read together with our news release of August 1, 2018.

C. Paul Jago, a Member of Engineers and Geoscientists British Columbia, is Centerra's qualified person for the purpose of National Instrument 43-101.




This information should be read together with our news release of August 1, 2018.


C. Paul Jago, a Member of Engineers and Geoscientists British Columbia, is Centerra's qualified person for the purpose of National Instrument 43-101.



This information should be read together with our news release of August 1, 2018.

C. Paul Jago, a Member of Engineers and Geoscientists British Columbia, is Centerra's qualified person for the purpose of National Instrument 43-101.





This information should be read together with our news release of August 1, 2018.

C. Paul Jago, a Member of Engineers and Geoscientists British Columbia, is Centerra's qualified person for the purpose of National Instrument 43-101.




Figure 11
2018 Q2 Mt Milligan
Section N6109700 (+/- 25m)
Looking North



Centerra Gold Inc. - Öksüt Gold Project
Diamond Drill Hole Locations
Period: April 1st, 2018 to June 30th, 2018



Page 1 of 2

Hole ID	Location Easting	Location Northing	Elevation (m)	Length (m)	Collar Azimuth	Collar Dip	Purpose
ODD0304	718,695	4,240,987	1,666	186.90	280.00	-50	Keltepe NW Exploration
ODD0304A	718,692	4,240,988	1,666	110.10	280.00	-50	Keltepe NW Exploration
ODD0305	718,631	4,241,029	1,658	215.50	77.00	-78	Keltepe NW Exploration
ODD0306	718,903	4,240,917	1,710	266.50	77.00	-75	Keltepe NW Exploration
ODD0307	719,266	4,240,331	1,769	331.20	-	-90	Keltepe Resource expansion

Projection: UTM ED50 Zone 36

Azimuth: Relative to grid

Notes: This information should be read together with our news release of August 1, 2018. Tables are current as of June 30, 2018.

Section line is location of the hole collar.

Mustafa Cihan, a Member of the Australian Institute of Geoscientists (AIG), is Centerra's qualified person for the purpose of National Instrument 43-101.



Centerra Gold Inc. - Öksüt Gold Project
Diamond Drill Hole Assay Results
Period: April 1st, 2018 to June 30th, 2018



Page 2 of 2

Drill Hole	Location	Purpose	From (m)	To (m)	Core Length (m)	Au (g/t)	Oxidation
ODD0304	Keltepe NW	Exploration	Low core recovery - assays are not reportable - repeated as ODD0304A				
ODD0304A	Keltepe NW	Exploration	7.0	12.0	5.0	0.24	oxide
			76.5	102.4	25.9	0.41	oxide
ODD0305	Keltepe NW	Exploration	61.5	67.3	5.8	0.24	oxide
ODD0306	Keltepe NW	Exploration	103.0	117.6	14.6	0.28	oxide
			174.0	192.8	18.8	0.44	oxide
			246.0	256.0	10.0	0.44	oxide
ODD0307	Keltepe step-out	Resource expansion	37.3	59.6	22.3	0.45	oxide
			66.0	90.0	24.0	0.93	oxide
			includes 72.6	81.5	8.9	1.77	oxide

Notes: This information should be read together with our news release of August 1, 2018. Tables are current as of June 30, 2018.


Mineralized intervals are greater than 0.20 g/t Au, 0.4% Cu.

Higher grade sub-intervals are greater than 1.00 g/t Au.


True widths for mineralized zones are about 60% to 90% of stated down hole interval.

Mustafa Cihan, a Member of the Australian Institute of Geoscientists (AIG), is Centerra's qualified person for the purpose of National Instrument 43-101.


Öksüt Gold Project – Drill hole Plan Map



Öksüt Gold Project – Keltepe Section AB



Öksüt Gold Project – Keltepe NW Section *CD*



Öksüt Gold Project – Keltepe NW Section *EF*

