



Table 1: Drill Assay Intercepts for Surface and Underground Drilling for the Lantern Deposit

(The Lantern Results are an update to those reported in March 6, 2017 Kirkland Lake Gold News Release)

Hole ID	From (m)	To (m)	Downhole Interval (m)	Gold Grade (g/t Au)	Estimated True Width (m)	Geological Structure
Lantern 3400 Lode Results						
CW101001A	No Significant Intercept					3400 Lode
CW101002	218.90	221.75	2.85	16.2	1.4	3400 Lode
CW101003	178.15	183.90	5.75	3.9	2.5	3400 Lode
CW101004	271.50	274.50	3.00	2.6	1.3	3400 Lode
CW101005	198.60	206.00	7.40	1.3	3.1	3400 Lode
CW101006	224.70	227.95	3.25	0.7	1.4	3400 Lode
CW101010	158.00	183.30	25.30	1.4	9.4	3400 Lode
CW101011	128.00	131.00	3.00	1.3	1.6	3400 Lode
CW101012	129.30	141.10	11.80	11.9	4.9	3400 Lode
And	152.60	167.70	15.10	12.3	8.6	3400 Lode
CW101013	No Significant Intercept					3400 Lode
CW93515	327.00	328.00	1.00	3.9	0.6	3400 Lode
DS001	202.30	213.10	10.80	0.3	7.9	3400 Lode
LS005	No Significant Intercept					3400 Lode
LS006	270.90	275.00	4.10	0.5	2.2	3400 Lode
LS007	232.00	240.00	8.00	0.3	6.9	3400 Lode
LS008	215.00	217.00	2.00	1.6	1.9	3400 Lode
LU101003	85.00	89.24	4.24	1.3	2.2	3400 Lode
And	95.92	97.00	1.08	22.1	0.5	3400 Lode
And	122.00	123.00	1.00	7.9	0.6	3400 Lode
LU101004	138.30	140.00	1.70	5.1	0.8	3400 Lode
LU101009	76.20	79.55	3.35	0.8	1.8	3400 Lode
LU101013	105.00	108.00	3.00	1.8	1.8	3400 Lode
LU101014	135.30	141.20	5.90	14.6	2.8	3400 Lode
LU101015	No Significant Intercept					3400 Lode
LU101016	145.75	159.40	13.65	3.0	6.3	3400 Lode
LU101017	166.00	195.90	29.90	4.3	9.2	3400 Lode
LU101018	206.50	209.50	3.00	2.3	1.6	3400 Lode
LU101019	No Significant Intercept					3400 Lode
LU101020	174.50	193.20	18.70	40.8	5.2	3400 Lode
LU101021	No Significant Intercept					3400 Lode
LU101022	No Significant Intercept					3400 Lode
LU101023	No Significant Intercept					3400 Lode
LU101024	267.00	272.00	5.00	0.7	2.0	3400 Lode
LU101025	193.80	196.80	3.00	1.7	1.1	3400 Lode
LU101025	No Significant Intercept					3400 Lode
LU101026	226.30	233.90	7.60	2.4	2.0	3400 Lode



Hole ID	From (m)	To (m)	Downhole Interval (m)	Gold Grade (g/t Au)	Estimated True Width (m)	Geological Structure
LU64001	494.20	494.80	0.60	90.9	0.2	3400 Lode
LU73011A	149.00	156.00	7.00	1.5	3.3	3400 Lode
LU73012	No Significant Intercept					3400 Lode
LU73014	365.70	366.10	0.40	5.0	0.3	3400 Lode
LU73015	No Significant Intercept					3400 Lode
LU73020	265.00	267.24	2.24	3.0	1.4	3400 Lode
LU86006	No Significant Intercept					3400 Lode
LU92001	364.50	366.80	2.30	1.0	1.2	3400 Lode
LU92002	330.40	333.10	2.70	0.9	1.4	3400 Lode
LU92003	No Significant Intercept					3400 Lode
LU92004	No Significant Intercept					3400 Lode
Lantern 3500 Lode Results						
CW101001A	No Significant Intercept					3500 Lode
CW101002	228.80	248.20	19.40	3.7	10.1	3500 Lode
CW101003	No Significant Intercept					3500 Lode
CW101003	No Significant Intercept					3500 Lode
CW101004	284.45	286.50	2.05	2.9	0.7	3500 Lode
CW101005	219.70	221.00	1.30	70.3	0.6	3500 Lode
CW101006	238.30	253.50	15.20	2.2	6.5	3500 Lode
CW101010	194.00	203.20	9.20	4.1	3.6	3500 Lode
CW101011	142.00	148.00	6.00	1.7	3.1	3500 Lode
CW101012	173.70	178.30	4.60	2.8	2.1	3500 Lode
CW101013	No Significant Intercept					3500 Lode
CW93513	288.10	290.55	2.45	3.7	1.3	3500 Lode
CW93515	349.00	354.00	5.00	0.7	3.0	3500 Lode
CW93516	No Significant Intercept					3500 Lode
LS001	No Significant Intercept					3500 Lode
LS005	210.00	211.00	1.00	3.2	1.0	3500 Lode
LS006	No Significant Intercept					3500 Lode
LS007	224.00	226.00	2.00	1.8	1.9	3500 Lode
LS008	No Significant Intercept					3500 Lode
And	205.00	210.00	5.00	1.8	4.9	3500 Lode
LU101001	74.10	87.10	13.00	9.0	7.3	3500 Lode
LU101001	106.00	109.00	3.00	1.9	2.1	3500 Lode
LU101003	128.00	130.00	2.00	3.3	1.1	3500 Lode
LU101004	160.00	162.00	2.00	1.6	1.0	3500 Lode
LU101005	71.00	78.00	7.00	3.1	5.4	3500 Lode
LU101008	72.90	76.00	3.10	3.9	2.3	3500 Lode
LU101009	102.18	108.25	6.07	4.1	3.7	3500 Lode
And	132.72	133.13	0.41	5.7	0.3	3500 Lode



Hole ID	From (m)	To (m)	Downhole Interval (m)	Gold Grade (g/t Au)	Estimated True Width (m)	Geological Structure
LU101010	89.00	92.70	3.70	3.8	2.1	3500 Lode
LU101013	126.30	127.60	1.30	5.9	0.7	3500 Lode
And	132.70	144.90	12.20	2.8	7.0	3500 Lode
LU101014	171.10	174.70	3.60	4.8	1.4	3500 Lode
LU101015	137.40	143.60	6.20	0.7	3.7	3500 Lode
And	149.30	151.90	2.60	2.3	1.2	3500 Lode
LU101016	171.78	174.54	2.76	1.8	1.0	3500 Lode
LU101017	201.30	212.80	11.50	3.3	5.0	3500 Lode
LU101018	222.00	225.50	3.50	4.9	0.3	3500 Lode
LU101019	252.60	254.50	1.90	11.8	0.2	3500 Lode
LU101020	207.00	222.50	15.50	8.5	6.8	3500 Lode
LU101021	No Significant Intercept					3500 Lode
LU101022	199.70	203.00	3.30	3.5	1.3	3500 Lode
LU101023	246.60	248.60	2.00	2.4	0.7	3500 Lode
LU101024	No Significant Intercept					3500 Lode
LU101025	226.30	231.50	5.20	1.0	1.8	3500 Lode
LU101026	275.00	289.00	14.00	0.7	3.6	3500 Lode
LU64001	305.60	308.60	3.00	10.8	1.2	3500 Lode
LU73011A	193.10	195.30	2.20	2.8	1.0	3500 Lode
LU73012	No Significant Intercept					3500 Lode
LU73014	444.00	464.00	20.00	0.6	4.8	3500 Lode
LU73015	304.80	308.00	3.20	2.4	1.1	3500 Lode
LU73020	273.00	273.50	0.50	57.9	0.3	3500 Lode
LU86006	274.00	278.15	4.15	1.4	1.6	3500 Lode
LU92001	377.50	379.50	2.00	1.0	1.0	3500 Lode
LU92002	No Significant Intercept					3500 Lode
LU92003	No Significant Intercept					3500 Lode
LU92004	No Significant Intercept					3500 Lode
LU93501	No Significant Intercept					3500 Lode
LU93504	207.10	212.80	5.70	0.9	3.8	3500 Lode
Lantern 3600 Lode Results						
CW101001A	250.80	273.50	22.70	0.4	9.8	3600 Lode
CW101002	253.00	258.00	5.00	1.9	2.2	3600 Lode
CW101003	No Significant Intercept					3600 Lode
CW101004	314.10	321.85	7.75	1.2	3.0	3600 Lode
CW101005	235.90	263.00	27.10	1.6	10.4	3600 Lode
CW101006	261.80	273.60	11.80	3.4	6.2	3600 Lode
CW101010	217.00	223.00	6.00	2.7	2.7	3600 Lode
CW101011	165.00	166.00	1.00	4.5	0.7	3600 Lode
CW101012	No Significant Intercept					3600 Lode



Hole ID	From (m)	To (m)	Downhole Interval (m)	Gold Grade (g/t Au)	Estimated True Width (m)	Geological Structure
CW101013	No Significant Intercept					3600 Lode
CW93513	312.20	317.90	5.70	0.3	4.0	3600 Lode
CW93515	358.00	382.00	24.00	1.0	12.8	3600 Lode
DS001	184.20	185.20	1.00	89.7	0.8	3600 Lode
LS001	No Significant Intercept					3600 Lode
LS005	193.00	195.80	2.80	3.1	2.6	3600 Lode
LS006	239.00	239.72	0.72	32.4	0.7	3600 Lode
LS007	214.00	219.00	5.00	3.2	3.5	3600 Lode
LS008	184.00	186.00	2.00	1.3	1.9	3600 Lode
LU101001	128.50	132.65	4.15	1.1	2.9	3600 Lode
LU101003	160.00	160.64	0.64	4.7	0.4	3600 Lode
LU101004	No Significant Intercept					3600 Lode
LU101005	109.50	112.00	2.50	5.4	1.9	3600 Lode
And	119.50	120.85	1.35	6.1	1.1	3600 Lode
LU101008	98.00	105.40	7.40	8.4	6.4	3600 Lode
LU101009	142.40	143.54	1.14	3.5	0.8	3600 Lode
LU101010	115.00	119.35	4.35	2.5	3.4	3600 Lode
LU101011	100.00	102.00	2.00	1.5	1.4	3600 Lode
LU101013	151.40	158.10	6.70	3.8	3.9	3600 Lode
LU101014	180.20	187.00	6.80	4.9	3.5	3600 Lode
LU101015	171.50	173.40	1.90	6.3	1.0	3600 Lode
LU101016	No Significant Intercept					3600 Lode
LU101017	225.90	231.00	5.10	3.3	1.4	3600 Lode
LU101018	255.40	262.50	7.10	3.3	1.8	3600 Lode
LU101019	282.90	284.90	2.00	3.0	0.6	3600 Lode
LU101020	No Significant Intercept					3600 Lode
LU101021	286.70	293.70	7.00	2.4	3.6	3600 Lode
LU101022	No Significant Intercept					3600 Lode
LU101023	293.00	305.00	12.00	1.8	4.5	3600 Lode
LU101024	322.00	341.00	19.00	1.5	3.1	3600 Lode
LU101025	No Significant Intercept					3600 Lode
LU101026	300.60	319.70	19.10	11.7	6.5	3600 Lode
LU64001	180.40	181.10	0.70	16.1	0.3	3600 Lode
LU64003	130.00	137.00	7.00	5.1	4.2	3600 Lode
LU73011A	223.20	254.90	31.70	0.1	13.0	3600 Lode
LU73012	344.00	352.00	8.00	1.9	3.2	3600 Lode
LU73014	No Significant Intercept					3600 Lode
LU73015	No Significant Intercept					3600 Lode
LU73016	No Significant Intercept					3600 Lode
LU73017	No Significant Intercept					3600 Lode



Hole ID	From (m)	To (m)	Downhole Interval (m)	Gold Grade (g/t Au)	Estimated True Width (m)	Geological Structure
LU73020	277.42	278.33	0.91	1,624	0.6	3600 Lode
Including	277.42	277.73	0.31	4,750	0.2	3600 Lode
LU86006	324.00	328.20	4.20	2.6	1.3	3600 Lode
LU92001	395.60	398.70	3.10	1.0	1.6	3600 Lode
LU92002	No Significant Intercept					3600 Lode
LU92003	No Significant Intercept					3600 Lode
LU92004	No Significant Intercept					3600 Lode
LU93501	No Significant Intercept					3600 Lode
LU93504	No Significant Intercept					3600 Lode
Lantern 3700 Lode Results						
CP009W1	722.28	724.38	2.10	7.0	0.9	3700 Lode
CW101001A	296.45	298.20	1.75	37.0	0.8	3700 Lode
CW101002	No Significant Intercept					3700 Lode
CW101003	258.60	259.65	1.05	170	0.5	3700 Lode
CW101005	No Significant Intercept					3700 Lode
CW101006	329.30	331.50	2.20	2.1	0.9	3700 Lode
CW101010	272.10	274.00	1.90	5.3	0.8	3700 Lode
CW101011	189.00	190.00	1.00	0.7	0.5	3700 Lode
CW101012	236.30	237.00	0.70	4.9	0.3	3700 Lode
CW101013	No Significant Intercept					3700 Lode
CW93513	No Significant Intercept					3700 Lode
CW93515	No Significant Intercept					3700 Lode
CW93516	360.90	366.80	5.90	2.8	2.6	3700 Lode
DS001	No Significant Intercept					3700 Lode
LS005	183.00	185.00	2.00	1.9	1.9	3700 Lode
LS006	205.00	206.00	1.00	1.9	0.9	3700 Lode
LS007	195.00	197.00	2.00	3.9	1.6	3700 Lode
LS008	173.00	176.00	3.00	4.8	2.9	3700 Lode
LU101001	136.00	137.75	1.75	1.4	1.2	3700 Lode
LU101002	No Significant Intercept					3700 Lode
LU101003	171.00	172.50	1.50	1.1	1.0	3700 Lode
LU101004	No Significant Intercept					3700 Lode
LU101005	No Significant Intercept					3700 Lode
LU101006A	No Significant Intercept					3700 Lode
LU101008	114.00	117.15	3.15	4.3	2.3	3700 Lode
LU101009	149.97	151.80	1.83	6.6	1.2	3700 Lode
LU101010	152.00	155.25	3.25	2.7	1.9	3700 Lode
And	161.10	164.15	3.05	2.4	1.9	3700 Lode
LU101013	179.10	180.90	1.80	1.8	1.0	3700 Lode
LU101014	231.30	234.00	2.70	3.3	1.3	3700 Lode



Hole ID	From (m)	To (m)	Downhole Interval (m)	Gold Grade (g/t Au)	Estimated True Width (m)	Geological Structure
LU101015	195.50	197.10	1.60	6.4	0.8	3700 Lode
LU101016	234.05	237.30	3.25	0.7	1.6	3700 Lode
LU101017	No Significant Intercept					3700 Lode
LU101018	No Significant Intercept					3700 Lode
LU101019	304.60	307.20	2.60	1.5	1.0	3700 Lode
LU101020	291.00	292.00	1.00	10.5	0.5	3700 Lode
LU101021	362.00	364.00	2.00	1.5	0.9	3700 Lode
LU101022	272.70	274.60	1.90	3.7	0.8	3700 Lode
LU101023	357.80	363.00	5.20	0.2	2.4	3700 Lode
LU101024	419.20	433.20	14.00	0.1	4.8	3700 Lode
LU101025	314.00	315.00	1.00	3.7	0.3	3700 Lode
LU101026	332.70	359.00	26.30	2.7	15.0	3700 Lode
LU63003	224.00	225.90	1.90	1.9	1.2	3700 Lode
LU64001	129.90	138.00	8.10	4.7	3.2	3700 Lode
LU64003	122.00	125.00	3.00	10.5	1.8	3700 Lode
LU73005	323.00	338.50	15.50	0.3	7.6	3700 Lode
LU73007	219.00	220.00	1.00	3.0	0.7	3700 Lode
LU73009	266.00	267.00	1.00	2.2	0.5	3700 Lode
LU73011A	No Significant Intercept					3700 Lode
LU73012	397.20	400.00	2.80	1.2	1.1	3700 Lode
LU73014	549.00	574.00	25.00	0.3	6.6	3700 Lode
LU73015	412.00	415.20	3.20	2.8	1.3	3700 Lode
LU73016	No Significant Intercept					3700 Lode
LU73017	378.20	411.00	32.80	0.2	15.5	3700 Lode
LU73020	286.00	288.06	2.06	9.9	1.3	3700 Lode
LU92001	434.90	436.70	1.80	1.7	1.0	3700 Lode
LU92002	365.50	380.00	14.50	0.6	7.6	3700 Lode
LU92003	488.00	507.00	19.00	1.8	7.6	3700 Lode
LU92004	368.00	372.00	4.00	0.7	2.7	3700 Lode
Lantern 3800 Lode Results						
CP009W1	802.39	806.30	3.91	3.4	1.7	3800 Lode
CW101001A	318.40	322.00	3.60	2.0	1.5	3800 Lode
CW101002	No Significant Intercept					3800 Lode
CW101003	286.40	289.30	2.90	3.4	1.5	3800 Lode
CW101006	No Significant Intercept					3800 Lode
CW101010	No Significant Intercept					3800 Lode
CW101011	No Significant Intercept					3800 Lode
CW101012	No Significant Intercept					3800 Lode
CW101013	304.50	306.00	1.50	3.4	0.7	3800 Lode
CW93513	364.70	369.50	4.80	3.7	2.4	3800 Lode



Hole ID	From (m)	To (m)	Downhole Interval (m)	Gold Grade (g/t Au)	Estimated True Width (m)	Geological Structure
CW93515	435.60	439.30	3.70	1.5	1.8	3800 Lode
CW93516	381.60	384.00	2.40	2.6	1.2	3800 Lode
DS001	150.00	151.05	1.05	2.6	0.8	3800 Lode
GFG001W1	No Significant Intercept					3800 Lode
LS001	No Significant Intercept					3800 Lode
LS003	No Significant Intercept					3800 Lode
LS005	160.00	161.00	1.00	1.9	0.9	3800 Lode
LS006	189.00	191.00	2.00	1.0	1.6	3800 Lode
LS007	No Significant Intercept					3800 Lode
LS008	156.00	159.00	3.00	0.4	2.9	3800 Lode
LU101001	167.00	170.00	3.00	4.3	2.2	3800 Lode
LU101003	No Significant Intercept					3800 Lode
LU101004	No Significant Intercept					3800 Lode
LU101005	155.00	159.00	4.00	1.1	3.0	3800 Lode
LU101008	No Significant Intercept					3800 Lode
LU101009	173.30	174.30	1.00	2.2	0.8	3800 Lode
LU101010	171.75	173.40	1.65	3.0	1.2	3800 Lode
LU101011	No Significant Intercept					3800 Lode
LU101013	189.90	191.80	1.90	1.6	1.2	3800 Lode
LU101014	247.70	248.70	1.00	2.6	0.5	3800 Lode
LU101015	No Significant Intercept					3800 Lode
LU101016	247.75	248.70	0.95	2.4	0.4	3800 Lode
LU101017	325.00	326.00	1.00	1.2	0.4	3800 Lode
LU101018	No Significant Intercept					3800 Lode
LU101019	350.50	352.10	1.60	2.0	0.6	3800 Lode
LU101021	No Significant Intercept					3800 Lode
LU101022	293.70	297.10	3.40	1.8	1.1	3800 Lode
LU101023	No Significant Intercept					3800 Lode
LU101024	441.00	445.00	4.00	2.1	1.3	3800 Lode
LU101025	352.30	355.30	3.00	2.7	0.6	3800 Lode
LU101026	No Significant Intercept					3800 Lode
LU63001	182.80	183.70	0.90	26.9	0.7	3800 Lode
LU63002	206.50	207.30	0.80	2.3	0.6	3800 Lode
LU63003	249.30	250.40	1.10	0.5	0.8	3800 Lode
LU63004	175.60	176.60	1.00	5.9	0.9	3800 Lode
LU63005	228.00	231.00	3.00	0.5	2.1	3800 Lode
LU63006	283.60	285.30	1.70	2.4	0.9	3800 Lode
LU63007	215.00	217.50	2.50	4.6	1.8	3800 Lode
LU64001	123.00	125.95	2.95	9.5	1.2	3800 Lode
LU64003	98.80	104.30	5.50	3.6	3.3	3800 Lode



Hole ID	From (m)	To (m)	Downhole Interval (m)	Gold Grade (g/t Au)	Estimated True Width (m)	Geological Structure
LU73001	126.40	130.00	3.60	0.9	2.8	3800 Lode
LU73002	191.00	193.00	2.00	5.5	1.2	3800 Lode
And	No Significant Intercept					3800 Lode
LU73003	158.30	159.30	1.00	10.7	0.6	3800 Lode
LU73004	238.20	241.00	2.80	0.8	1.8	3800 Lode
LU73005	No Significant Intercept					3800 Lode
LU73006	No Significant Intercept					3800 Lode
LU73007	No Significant Intercept					3800 Lode
LU73008	191.90	192.80	0.90	4.5	0.5	3800 Lode
LU73009	No Significant Intercept					3800 Lode
LU73010	No Significant Intercept					3800 Lode
LU73011A	No Significant Intercept					3800 Lode
LU73012	445.10	456.10	11.00	0.5	5.1	3800 Lode
LU73014	604.00	611.00	7.00	0.4	3.8	3800 Lode
LU73015	No Significant Intercept					3800 Lode
LU73016	313.00	316.10	3.10	0.7	2.1	3800 Lode
LU73017	493.00	496.00	3.00	198	1.0	3800 Lode
Including	493.00	493.35	0.35	98.7	0.1	3800 Lode
And including	493.35	493.70	0.35	1,577	0.1	3800 Lode
LU86001	219.00	226.60	7.60	1.4	4.4	3800 Lode
And	No Significant Intercept					3800 Lode
LU86002	No Significant Intercept					3800 Lode
And	250.00	251.00	1.00	5.9	0.8	3800 Lode
LU86006	No Significant Intercept					3800 Lode
LU92001	No Significant Intercept					3800 Lode
LU92002	388.00	393.00	5.00	1.4	2.6	3800 Lode
LU92004	No Significant Intercept					3800 Lode
LU93501	267.00	269.00	2.00	2.4	1.4	3800 Lode
LU93504	272.00	275.70	3.70	1.0	2.6	3800 Lode
Lantern 3900 Lode Results						
CP009W1	821.43	832.76	11.33	3.1	3.0	3900 Lode
CW101001A	375.00	377.70	2.70	1.2	1.4	3900 Lode
CW101002	378.00	380.30	2.30	7.7	0.9	3900 Lode
CW101006	No Significant Intercept					3900 Lode
CW101010	No Significant Intercept					3900 Lode
CW101011	No Significant Intercept					3900 Lode
CW101012	287.00	291.00	4.00	6.9	1.9	3900 Lode
CW101013	324.40	333.00	8.60	3.5	3.4	3900 Lode
CW93513	398.50	407.45	8.95	1.7	3.8	3900 Lode
CW93515	462.00	467.40	5.40	4.7	2.7	3900 Lode



Hole ID	From (m)	To (m)	Downhole Interval (m)	Gold Grade (g/t Au)	Estimated True Width (m)	Geological Structure
CW93516	400.30	405.10	4.80	2.6	2.1	3900 Lode
DS001	121.60	123.60	2.00	1.6	1.6	3900 Lode
LS001	No Significant Intercept					3900 Lode
LS005	138.00	141.00	3.00	13.7	2.8	3900 Lode
LS006	170.00	173.00	3.00	5.1	2.4	3900 Lode
LS007	No Significant Intercept					3900 Lode
LS008	130.00	132.20	2.20	4.6	1.9	3900 Lode
LU101001	178.45	181.00	2.55	3.2	1.9	3900 Lode
LU101002	106.00	107.00	1.00	2.6	1.0	3900 Lode
LU101003	No Significant Intercept					3900 Lode
LU101004	287.18	294.00	6.82	2.1	3.3	3900 Lode
LU101005	No Significant Intercept					3900 Lode
LU101006A	No Significant Intercept					3900 Lode
LU101008	176.30	183.00	6.70	1.4	5.2	3900 Lode
LU101009	193.97	195.80	1.83	1.9	1.3	3900 Lode
LU101010	215.00	216.00	1.00	5.4	0.7	3900 Lode
LU101011	No Significant Intercept					3900 Lode
LU101013	No Significant Intercept					3900 Lode
LU101014	278.00	286.80	8.80	22.6	4.4	3900 Lode
LU101015	245.50	248.00	2.50	5.1	1.6	3900 Lode
LU101016	272.20	279.20	7.00	1.0	3.3	3900 Lode
LU101017	No Significant Intercept					3900 Lode
LU101018	364.20	375.60	11.40	1.5	4.6	3900 Lode
LU101019	382.00	385.10	3.10	6.1	1.5	3900 Lode
LU101020	353.00	357.00	4.00	1.6	1.2	3900 Lode
LU101021	388.80	399.80	11.00	1.9	4.3	3900 Lode
LU101022	351.40	354.50	3.10	26.3	1.2	3900 Lode
LU101023	419.20	427.50	8.30	1.7	2.9	3900 Lode
LU101024	480.80	484.00	3.20	12.2	1.1	3900 Lode
LU101025	447.80	452.60	4.80	3.8	0.9	3900 Lode
LU101026	563.70	566.70	3.00	1.6	0.8	3900 Lode
LU63001	192.10	194.30	2.20	2.0	1.6	3900 Lode
LU63003	266.00	268.00	2.00	2.0	1.4	3900 Lode
LU63005	251.90	260.00	8.10	5.9	6.0	3900 Lode
LU63006	353.80	354.80	1.00	6.5	0.5	3900 Lode
LU63007	240.60	241.60	1.00	2.0	0.7	3900 Lode
LU64001	88.50	93.10	4.60	6.7	1.8	3900 Lode
LU64003	61.00	62.00	1.00	8.3	0.6	3900 Lode
LU73001	153.55	158.20	4.65	3.2	3.8	3900 Lode
LU73002	No Significant Intercept					3900 Lode



Hole ID	From (m)	To (m)	Downhole Interval (m)	Gold Grade (g/t Au)	Estimated True Width (m)	Geological Structure
LU73003	174.10	179.90	5.80	1.1	4.4	3900 Lode
LU73004	No Significant Intercept					3900 Lode
LU73005	No Significant Intercept					3900 Lode
LU73006	168.50	174.80	6.30	0.8	4.5	3900 Lode
LU73007	254.20	257.00	2.80	1.3	1.7	3900 Lode
LU73008	No Significant Intercept					3900 Lode
And	219.50	221.50	2.00	1.6	1.4	3900 Lode
LU73009	350.20	353.00	2.80	4.7	1.2	3900 Lode
LU73010	195.00	198.00	3.00	2.9	2.0	3900 Lode
LU73011A	396.80	400.00	3.20	1.4	1.5	3900 Lode
LU73012	483.10	485.00	1.90	4.7	1.0	3900 Lode
LU73014	No Significant Intercept					3900 Lode
LU73015	488.00	489.00	1.00	2.0	0.5	3900 Lode
LU73016	345.90	347.50	1.60	2.0	0.6	3900 Lode
LU73017	No Significant Intercept					3900 Lode
LU73020	364.00	365.00	1.00	5.1	0.6	3900 Lode
LU86001	281.90	288.90	7.00	3.1	4.6	3900 Lode
LU86002	243.00	249.00	6.00	2.1	3.2	3900 Lode
And	272.00	280.90	8.90	2.3	5.7	3900 Lode
LU86004	No Significant Intercept					3900 Lode
LU86005	No Significant Intercept					3900 Lode
LU86006	No Significant Intercept					3900 Lode
LU92001	No Significant Intercept					3900 Lode
LU92002	No Significant Intercept					3900 Lode
LU92003	618.00	619.70	1.70	2.1	0.8	3900 Lode
LU92004	No Significant Intercept					3900 Lode
LU93501	312.00	315.00	3.00	3.0	2.2	3900 Lode
LU93502	No Significant Intercept					3900 Lode
LU93503	No Significant Intercept					3900 Lode
LU93504	293.00	296.25	3.25	0.6	2.6	3900 Lode
And	306.50	323.00	16.50	3.4	12.3	3900 Lode

Drill Intercept Notes:

- Intercepts with >30 Gram-Metres (gold grade (g/t Au) x estimated true width (m)) are in bold text.
- Intercepts are constrained with wireframe envelopes, generally based on a 2 g/t Au cut-off (where possible) and having a maximum 3 m internal dilution. However, narrower intercepts are reported to highlight lengths of higher gold grade or where mineralization is limited.
- Drillholes that were reported in previous News Releases are highlighted in grey, and may have different reported intercepts due to changes in the geological understanding of mineralized structures and application of reporting criteria previously applied.



Table 2: Surface and Underground Diamond Drill Hole Collar Locations, Lantern Deposit.

Hole ID	Northing (m)	Easting (m)	Elevation (m)	Collar Azimuth (°)	Collar Plunge (°)	Hole Length (m)
Surface Drilling						
DS001	971	4,825	1,141	87.5	-65.3	766.0
LS001	1,329	4,753	1,144	85.1	-61.1	586.0
LS003	1,385	4,672	1,145	84.5	-63.0	677.7
LS004	1,385	4,672	1,145	84.2	-51.8	552.4
LS005	1,117	4,787	1,145	89.0	-52.0	252.9
LS006	1,117	4,787	1,145	89.5	-67.1	303.6
LS007	1,273	4,796	1,145	90.5	-64.0	384.6
LS008	1,273	4,796	1,145	90.5	-53.1	498.9
LS009	1,102	5,171	1,156	270.0	-50.6	162.3
Underground Drilling						
LU101001	1,335	5,020	1,016	222.8	13.7	440.8
LU101002	1,336	5,019	1,017	252.2	29.5	160.0
LU101003	1,335	5,020	1,015	222.3	-2.7	263.9
LU101004	1,335	5,020	1,015	209.7	2.3	350.5
LU101005	1,336	5,019	1,015	234.8	6.2	200.9
LU101006A	1,335	5,021	1,014	255.2	6.0	179.1
LU101007	1,337	5,019	1,016	272.7	20.2	231.0
LU101008	1,337	5,019	1,014	249.3	-8.9	311.0
LU101009	1,336	5,019	1,014	235.8	-12.3	313.0
LU101010	1,336	5,020	1,014	248.3	-21.1	331.0
LU101011	1,337	5,019	1,014	262.1	-20.1	233.6
LU101012	1,337	5,019	1,014	274.6	-1.8	170.7
LU101013	1,336	5,019	1,014	234.3	-18.1	236.6
LU101014	1,336	5,020	1,014	223.3	-14.8	305.6
LU101015	1,336	5,020	1,014	240.8	-26.2	275.0
LU101016	1,336	5,020	1,014	234.6	-28.0	302.7
LU101017	1,336	5,020	1,014	231.2	-30.4	383.0
LU101018	1,336	5,020	1,014	226.7	-29.9	446.5
LU101019	1,336	5,020	1,014	222.3	-28.2	419.7
LU101020	1,336	5,020	1,014	236.8	-35.5	416.0
LU101021	1,336	5,020	1,014	226.2	-34.1	417.0
LU101022	1,336	5,020	1,014	242.2	-40.4	407.0
LU101023	1,337	5,019	1,014	233.9	-40.1	503.9
LU101024	1,336	5,020	1,014	226.0	-38.4	533.8
LU101025	1,337	5,019	1,014	250.6	-45.1	452.6
LU101026	1,337	5,019	1,014	246.0	-47.1	617.6
LU63001	1,550	4,875	635	249.0	1.8	220.0
LU63002	1,550	4,875	634	249.6	-9.0	248.0
LU63003	1,550	4,875	634	250.9	-17.8	282.2



Hole ID	Northing (m)	Easting (m)	Elevation (m)	Collar Azimuth (°)	Collar Plunge (°)	Hole Length (m)
LU63004	1,550	4,875	635	265.1	6.3	230.7
LU63005	1,550	4,875	634	257.4	-12.5	284.0
LU63006	1,550	4,875	634	254.6	-24.2	378.1
LU63007	1,550	4,875	634	271.2	-6.4	275.7
LU64001	1,842	4,629	624	273.5	-83.1	587.0
LU64003	1,841	4,629	624	166.1	-51.1	389.0
LU73001	1,495	4,920	734	237.5	15.7	203.1
LU73002	1,495	4,920	733	240.6	-11.2	248.0
LU73003	1,495	4,920	733	256.2	-5.5	200.0
LU73004	1,495	4,921	732	258.7	-24.4	284.2
LU73005	1,496	4,921	732	259.1	-36.4	484.4
LU73006	1,495	4,920	733	246.8	-1.8	200.0
LU73007	1,495	4,921	732	243.1	-23.0	287.2
LU73008	1,495	4,920	733	251.5	-14.7	242.1
LU73009	1,495	4,921	732	248.8	-31.1	368.0
LU73010	1,496	4,921	733	267.4	-12.5	227.4
LU73011A	1,494	4,922	732	226.9	-21.2	445.0
LU73012	1,495	4,922	732	229.1	-34.4	545.4
LU73014	1,494	4,922	732	221.9	-35.6	650.0
LU73015	1,495	4,922	732	239.3	-41.9	567.0
LU73016	1,496	4,922	732	249.9	-38.4	427.0
LU73017	1,496	4,921	732	260.9	-42.6	572.0
LU73020	1,499	4,922	732	389.9	-13.9	303.0
LU86001	1,502	4,987	859	219.9	-2.0	314.5
LU86002	1,501	4,986	858	226.5	-11.3	368.0
LU86004	1,502	4,986	859	229.1	0.5	368.0
LU86005	1,502	4,986	858	232.2	-9.4	236.6
LU86006	1,501	4,986	858	221.5	-25.1	480.0
LU92001	1,305	5,079	920	235.8	-32.1	536.2
LU92002	1,305	5,079	920	253.4	-36.2	506.0
LU92003	1,305	5,079	920	251.6	-43.7	773.0
LU92004	1,305	5,078	920	246.3	-28.9	490.0
LU93501	1,460	5,074	939	231.6	-5.5	333.0
LU93502	1,460	5,074	939	239.3	-2.2	281.8
LU93503	1,460	5,074	939	241.1	-9.4	473.0
LU93504	1,460	5,074	939	234.1	-13.2	341.9
Total - Surface and Underground Drilling				74 holes		27,737 m
Previously Reported Drilling						
Surface Drilling						
CP009W1	1,617	5,270	1,155	241.0	-54.0	950.1



Hole ID	Northing (m)	Easting (m)	Elevation (m)	Collar Azimuth (°)	Collar Plunge (°)	Hole Length (m)
GFG001W1	1,840	5,195	1,159	240.0	-60.0	1,019.3
Underground Drilling						
CW101001	1,346	5,038	1,013	256.8	-40.4	72.6
CW101001A	1,345	5,038	1,013	253.6	-42.1	441.0
CW101002	1,345	5,038	1,013	239.2	-35.5	431.8
CW101003	1,345	5,038	1,013	247.8	-36.6	308.0
CW101004	1,345	5,038	1,013	240.1	-42.8	340.8
CW101005	1,344	5,039	1,014	221.3	-22.5	303.0
CW101006	1,345	5,040	1,013	233.8	-31.1	425.9
CW101007A	1,321	5,038	1,015	99.7	-4.7	72.0
CW101008	1,320	5,038	1,014	112.0	-23.5	92.4
CW101009	1,320	5,038	1,015	118.6	-3.5	98.7
CW101010	1,335	5,020	1,014	229.8	-28.5	368.9
CW101011	1,335	5,020	1,014	228.1	-14.0	386.3
CW101012	1,336	5,020	1,014	239.7	-31.0	329.9
CW101013	1,335	5,020	1,014	214.2	-17.5	373.3
CW93501	1,456	5,076	940	201.6	7.4	284.8
CW93502	1,457	5,075	940	217.4	-0.3	143.4
CW93503	1,457	5,075	941	223.6	27.0	170.1
CW93504	1,457	5,075	939	211.6	-9.2	155.8
CW93505	1,456	5,076	941	193.2	20.2	185.0
CW93506	1,456	5,076	939	193.7	-7.0	183.0
CW93507	1,457	5,075	940	210.2	9.1	140.2
CW93508	1,458	5,075	940	223.1	9.8	128.3
CW93509	1,459	5,074	940	236.8	9.8	156.6
CW93510	1,458	5,075	939	222.9	-9.0	130.9
CW93511	1,459	5,074	939	237.3	-8.7	146.1
CW93513	1,459	5,075	939	236.9	-24.5	441.6
CW93515	1,458	5,075	939	219.9	-13.3	491.2
CW93516	1,459	5,075	939	243.8	-29.9	409.5

- Holes previously reported are highlighted in grey